



Hydrogeologist
Palm Beach Solid Waste Authority
7501 N. Jog Rd.
West Palm Beach, FL 33412

Pace Project Number: 3555442
Report Period: 2012/Q2

Client Project ID: Central Transfer Station SW

Lab Sample ID	Client Sample ID
3555442001	CTSSE BLANK -042512
3555442002	CTSW-1
3555442003	Metals Trip Blank -042511
3555442004	VOC Trip Blank -042511

RECEIVED

MAY 07 2012

Sincerely,

Martha Montero

Florida Certifications:
E83079 - Ormond Beach



CASE NARRATIVE SUMMARY

Client Name: Palm Beach Solid Waste Authority
Project Name: Central Transfer Station SW

Pace Project Number: 3555442

Date Received: 04/25/2012

Report Date: 05/04/2012

J(L2): Estimated Value. Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.

J(M1): Estimated Value. Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

V: Indicates that the analyte was detected in both the sample and the associated method blank.

Order #: 3555442001

Pace Analytical Services, Inc.

Client: Palm Beach Solid Waste Authority

Project Name: Central Transfer Station

Diameter (in):

Sheen: No sheen

Depth to Water (ft):

Color: Clear

Total Depth (ft):

Odor: No Odor

Top of Casing (ft):

Matrix: DI Water

Evacuation (gal):

PARAMETER MONITORING REPORT

Part III Analytical Results

Facility GMS #: C.P.A.F.5.E. I & II
 Test Side ID #: NA
 Well Name: CTSSE BLANK -042512
 Classification of Ground Water: SW-IIIF
 Groundwater Elevation (NGVD): _____

Sampling Date/Time: 04/25/2012 11:38
 Report Period: 2012/Q2
 Well Purge (Y/N): N
 Well Type: () Background
 () Intermediate
 () Compliance
 (X) Other

Storet Code	Parameter Monitored	Sampling Method	Field Filter	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dilution Factor
							MDL	PQL	

FIELD PARAMETERS

000537	Field Specific Conductance	Grab	N		04/25/2012 11:38	8.8 umhos/cm	1.0	1.0	umhos/cm	1
000010	Field Temperature	Grab	N		04/25/2012 11:38	23.2 deg C	0.50	0.50	deg C	1
000664	Field pH	Grab	N		04/25/2012 11:38	6.88 Std. Units	0.10	0.10	Std. Units	1
000299	Oxygen, Dissolved	Grab	N		04/25/2012 11:38	6.98 mg/L			mg/L	1
082078	Turbidity	Grab	N		04/25/2012 11:38	0.24 NTU	1.0	1.0	NTU	1

OTHER

000593	Chloride	Grab	N	EPA 300.0	04/26/2012 12:53	<2.5 mg/L	2.5	5.0	mg/L	1
000620	Nitrate as N	Grab	N	EPA 300.0	04/26/2012 12:53	<0.025 mg/L	0.025	0.050	mg/L	1
000945	Sulfate	Grab	N	EPA 300.0	04/26/2012 12:53	<2.5 mg/L	2.5	5.0	mg/L	1
000599	Nitrogen, Ammonia	Grab	N	EPA 350.1	04/27/2012 08:24	<0.020 mg/L	0.020	0.050	mg/L	1
000601	Nitrogen, Kjeldahl, Total	Grab	N	EPA 351.2	04/30/2012 14:15	<0.086 mg/L	0.086	0.50	mg/L	1
000340	Chemical Oxygen Demand	Grab	N	EPA 410.4	04/30/2012 16:16	22.0 mg/L	12.5	20.0	mg/L	1
000410	Alkalinity, Total as CaCO3	Grab	N	SM 2320B	04/26/2012 13:10	<5.0 mg/L	5.0	5.0	mg/L	1
000515	Total Dissolved Solids	Grab	N	SM 2540C	05/01/2012 11:58	5.0 mg/L	5.0	5.0	mg/L	1
	Surfactants	Grab	N	SM 5540C	04/26/2012 17:43	<0.059 mg/L	0.059	0.20	mg/L	1

INORGANICS

001002	Arsenic	Grab	N	EPA 6010	04/27/2012 06:13	<5.0 ug/L	5.0	10.0	ug/L	1
001007	Barium	Grab	N	EPA 6010	04/27/2012 06:13	12.3 ug/L	5.0	10.0	ug/L	1
001034	Chromium	Grab	N	EPA 6010	04/27/2012 06:13	<2.5 ug/L	2.5	5.0	ug/L	1
001045	Iron	Grab	N	EPA 6010	04/27/2012 06:13	<20.0 ug/L	20.0	40.0	ug/L	1
000572	Lead	Grab	N	EPA 6010	04/27/2012 06:13	<5.0 ug/L	5.0	10.0	ug/L	1
000929	Sodium	Grab	N	EPA 6010	04/27/2012 06:13	<0.50 mg/L	0.50	1.0	mg/L	1
001027	Cadmium	Grab	N	EPA 6020	04/26/2012 18:55	<0.050 ug/L	0.050	0.10	ug/L	1
001042	Copper	Grab	N	EPA 6020	04/26/2012 18:55	<0.93 ug/L	0.93	1.0	ug/L	1
001087	Vanadium	Grab	N	EPA 6020	04/26/2012 18:55	<0.50 ug/L	0.50	1.0	ug/L	1
000576	Mercury	Grab	N	EPA 7470	04/26/2012 13:06	<0.10 ug/L	0.10	0.20	ug/L	1

ORGANICS

	Oil and Grease	Grab	N	EPA 1664A	04/30/2012 19:14	<1.5 mg/L	1.5	5.3	mg/L	1
	Total Petroleum Hydrocarbons	Grab	N	EPA 1664A	04/30/2012 20:53	<1.5 mg/L	1.5	5.3	mg/L	1
077562	1,1,1,2-Tetrachloroethane	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034506	1,1,1-Trichloroethane	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034516	1,1,2,2-Tetrachloroethane	Grab	N	EPA 8260	04/27/2012 00:49	<0.12 ug/L	0.12	0.50	ug/L	1

Order # : 3555442001

Pace Analytical Services, Inc.

Client : Palm Beach Solid Waste Authority

Diameter (in) :

Project Name : Central Transfer Station

Depth to Water (ft) :

Sheen : No sheen

Total Depth (ft) :

Color : Clear

Top of Casing (ft) :

Odor : No Odor

Evacuation (gal) :

Matrix : DI Water

PARAMETER MONITORING REPORT

Part III Analytical Results

Facility GMS # : C.P.A.F.5.E. I & II

Sampling Date/Time : 04/25/2012 11:38

Test Side ID # : NA

Report Period : 2012/Q2

Well Name : CTSSE BLANK -042512

Well Purge (Y/N) : N

Classification of Ground Water : SW-IIIF

Well Type : () Background

Groundwater Elevation (NGVD) : _____

() Intermediate

() Compliance

(X) Other

Storet Code	Parameter Monitored	Sampling Method	Field Filter	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dilution Factor
							MDL	PQL	

ORGANICS

034511	1,1,2-Trichloroethane	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034496	1,1-Dichloroethane	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034501	1,1-Dichloroethene	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
077443	1,2,3-Trichloropropane	Grab	N	EPA 8260	04/27/2012 00:49	<0.36 ug/L	0.36	0.50	ug/L	1
96-12-8	1,2-Dibromo-3-chloropropane	Grab	N	EPA 8260	04/27/2012 00:49	<1.0 ug/L	1.0	2.0	ug/L	1
079749	1,2-Dibromoethane (EDB)	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034536	1,2-Dichlorobenzene	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034531	1,2-Dichloroethane	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
540-59-0	1,2-Dichloroethene (Total)	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034541	1,2-Dichloropropane	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034571	1,4-Dichlorobenzene	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
081595	2-Butanone (MEK)	Grab	N	EPA 8260	04/27/2012 00:49	<5.0 ug/L	5.0	10.0	ug/L	1
077103	2-Hexanone	Grab	N	EPA 8260	04/27/2012 00:49	<5.0 ug/L	5.0	10.0	ug/L	1
081596	4-Methyl-2-pentanone (MIBK)	Grab	N	EPA 8260	04/27/2012 00:49	<5.0 ug/L	5.0	10.0	ug/L	1
081552	Acetone	Grab	N	EPA 8260	04/27/2012 00:49	<5.0 ug/L	5.0	10.0	ug/L	1
076997	Acetonitrile	Grab	N	EPA 8260	04/27/2012 00:49	<5.0 ug/L	5.0	10.0	ug/L	1
034030	Benzene	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
077297	Bromochloromethane	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
032101	Bromodichloromethane	Grab	N	EPA 8260	04/27/2012 00:49	<0.27 ug/L	0.27	0.60	ug/L	1
032104	Bromoform	Grab	N	EPA 8260	04/27/2012 00:49	<0.50J(L2)ug/L	0.50	1.0	ug/L	1
034413	Bromomethane	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
077041	Carbon disulfide	Grab	N	EPA 8260	04/27/2012 00:49	<5.0 ug/L	5.0	10.0	ug/L	1
032102	Carbon tetrachloride	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034301	Chlorobenzene	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034311	Chloroethane	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
032106	Chloroform	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034418	Chloromethane	Grab	N	EPA 8260	04/27/2012 00:49	<0.62 ug/L	0.62	1.0	ug/L	1
032105	Dibromochloromethane	Grab	N	EPA 8260	04/27/2012 00:49	<0.26 ug/L	0.26	0.50	ug/L	1
077596	Dibromomethane	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034371	Ethylbenzene	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
077424	Iodomethane	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
046491	Methyl-tert-butyl ether	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034423	Methylene Chloride	Grab	N	EPA 8260	04/27/2012 00:49	<2.5 ug/L	2.5	5.0	ug/L	1

Order # : 3555442001

Pace Analytical Services, Inc.

Client : Palm Beach Solid Waste Authority

Project Name : Central Transfer Station

Diameter (in) :

Sheen : No sheen

Depth to Water (ft) :

Color : Clear

Total Depth (ft) :

Odor : No Odor

Top of Casing (ft) :

Matrix : DI Water

Evacuation (gal) :

PARAMETER MONITORING REPORT

Part III Analytical Results

Facility GMS # : C.P.A.F.5.E. I & II

Sampling Date/Time : 04/25/2012 11:38

Test Side ID # : NA

Report Period : 2012/Q2

Well Name : CTSSE BLANK -042512

Well Purge (Y/N) : N

Classification of Ground Water : SW-IIIF

Well Type : () Background

Groundwater Elevation (NGVD) : _____

() Intermediate

() Compliance

(X) Other

Storet Code	Parameter Monitored	Sampling Method	Field Filter	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dilution Factor
							MDL	PQL	

ORGANICS

077128	Styrene	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034475	Tetrachloroethene	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
078131	Toluene	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
039180	Trichloroethene	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034488	Trichlorofluoromethane	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
077057	Vinyl acetate	Grab	N	EPA 8260	04/27/2012 00:49	<1.0 ug/L	1.0	2.0	ug/L	1
039175	Vinyl chloride	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
081551	Xylene (Total)	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
077093	cis-1,2-Dichloroethene	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034704	cis-1,3-Dichloropropene	Grab	N	EPA 8260	04/27/2012 00:49	<0.25 ug/L	0.25	0.50	ug/L	1
081551	m&p-Xylene	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
081551	o-Xylene	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034546	trans-1,2-Dichloroethene	Grab	N	EPA 8260	04/27/2012 00:49	<0.50 ug/L	0.50	1.0	ug/L	1
034699	trans-1,3-Dichloropropene	Grab	N	EPA 8260	04/27/2012 00:49	<0.25 ug/L	0.25	0.50	ug/L	1
077268	trans-1,4-Dichloro-2-butene	Grab	N	EPA 8260	04/27/2012 00:49	<5.0 ug/L	5.0	10.0	ug/L	1

Order # : 3555442002

Pace Analytical Services, Inc.

Client : Palm Beach Solid Waste Authority

Project Name : Central Transfer Station

Diameter (in) :

Sheen : No sheen

Depth to Water (ft) :

Color :

Total Depth (ft) :

Odor :

Top of Casing (ft) :

Matrix : Surface Water

Evacuation (gal) :

PARAMETER MONITORING REPORT

Part III Analytical Results

Facility GMS # : C.P.A.F.5.E. I & II

Sampling Date/Time : 04/25/2012 11:50

Test Side ID # : PBCC09

Report Period : 2012/Q2

Well Name : CTSW-1

Well Purge (Y/N) : N

Classification of Ground Water : SW-IIIF

Well Type : () Background

Groundwater Elevation (NGVD) : _____

() Intermediate

() Compliance

(X) Other

Storet Code	Parameter Monitored	Sampling Method	Field Filter	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dilution Factor
							MDL	PQL	

FIELD PARAMETERS

000537	Field Specific Conductance	Grab	N		04/25/2012 11:50	295 umhos/cm	1.0	1.0	umhos/cm	1
000010	Field Temperature	Grab	N		04/25/2012 11:50	24.7 deg C	0.50	0.50	deg C	1
000664	Field pH	Grab	N		04/25/2012 11:50	6.90 Std. Units	0.10	0.10	Std. Units	1
082078	Turbidity	Grab	N		04/25/2012 11:50	1.24 NTU	1.0	1.0	NTU	1

OTHER

000593	Chloride	Grab	N	EPA 300.0	04/26/2012 13:05	33.9J(M1)mg/L	2.5	5.0	mg/L	1
000620	Nitrate as N	Grab	N	EPA 300.0	04/26/2012 13:05	<0.025 mg/L	0.025	0.050	mg/L	1
000945	Sulfate	Grab	N	EPA 300.0	04/26/2012 13:05	23.0J(M1)mg/L	2.5	5.0	mg/L	1
000599	Nitrogen, Ammonia	Grab	N	EPA 350.1	04/27/2012 08:27	0.020 IV mg/L	0.020	0.050	mg/L	1
000601	Nitrogen, Kjeldahl, Total	Grab	N	EPA 351.2	04/30/2012 14:17	0.37 I mg/L	0.086	0.50	mg/L	1
000340	Chemical Oxygen Demand	Grab	N	EPA 410.4	04/30/2012 16:16	29.9 mg/L	12.5	20.0	mg/L	1
000410	Alkalinity, Total as CaCO3	Grab	N	SM 2320B	04/26/2012 13:15	68.3 mg/L	5.0	5.0	mg/L	1
000515	Total Dissolved Solids	Grab	N	SM 2540C	05/01/2012 11:58	173 mg/L	5.0	5.0	mg/L	1
	Surfactants	Grab	N	SM 5540C	04/26/2012 17:43	<0.059 mg/L	0.059	0.20	mg/L	1

INORGANICS

001002	Arsenic	Grab	N	EPA 6010	04/27/2012 06:17	<5.0 ug/L	5.0	10.0	ug/L	1
001007	Barium	Grab	N	EPA 6010	04/27/2012 06:17	6.4 I ug/L	5.0	10.0	ug/L	1
001034	Chromium	Grab	N	EPA 6010	04/27/2012 06:17	<2.5 ug/L	2.5	5.0	ug/L	1
001045	Iron	Grab	N	EPA 6010	04/27/2012 06:17	95.8 ug/L	20.0	40.0	ug/L	1
000572	Lead	Grab	N	EPA 6010	04/27/2012 06:17	<5.0 ug/L	5.0	10.0	ug/L	1
000929	Sodium	Grab	N	EPA 6010	04/27/2012 06:17	23.7 mg/L	0.50	1.0	mg/L	1
001027	Cadmium	Grab	N	EPA 6020	04/26/2012 18:59	<0.050 ug/L	0.050	0.10	ug/L	1
001042	Copper	Grab	N	EPA 6020	04/26/2012 18:59	<0.93 ug/L	0.93	1.0	ug/L	1
001087	Vanadium	Grab	N	EPA 6020	04/26/2012 18:59	<0.50 ug/L	0.50	1.0	ug/L	1
000576	Mercury	Grab	N	EPA 7470	04/26/2012 13:12	<0.10 ug/L	0.10	0.20	ug/L	1

ORGANICS

	Oil and Grease	Grab	N	EPA 1664A	04/30/2012 19:13	<1.4 mg/L	1.4	5.1	mg/L	1
	Total Petroleum Hydrocarbons	Grab	N	EPA 1664A	04/30/2012 20:55	<1.4 mg/L	1.4	5.1	mg/L	1
077562	1,1,1,2-Tetrachloroethane	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
034506	1,1,1-Trichloroethane	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
034516	1,1,2,2-Tetrachloroethane	Grab	N	EPA 8260	04/27/2012 06:10	<0.12 ug/L	0.12	0.50	ug/L	1
034511	1,1,2-Trichloroethane	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1

Order # : 3555442002

Pace Analytical Services, Inc.

Client : Palm Beach Solid Waste Authority

Project Name : Central Transfer Station

Diameter (in) :

Sheen : No sheen

Depth to Water (ft) :

Color :

Total Depth (ft) :

Odor :

Top of Casing (ft) :

Matrix : Surface Water

Evacuation (gal) :

PARAMETER MONITORING REPORT

Part III Analytical Results

Facility GMS # : C.P.A.F.5.E. I & II

Sampling Date/Time : 04/25/2012 11:50

Test Side ID # : PBCC09

Report Period : 2012/Q2

Well Name : CTSW-1

Well Purge (Y/N) : N

Classification of Ground Water : SW-IIIF

Well Type : () Background

Groundwater Elevation (NGVD) : _____

() Intermediate

() Compliance

(X) Other

Storet Code	Parameter Monitored	Sampling Method	Field Filter	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dilution Factor
							MDL	PQL	

ORGANICS

034496	1,1-Dichloroethane	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
034501	1,1-Dichloroethene	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
077443	1,2,3-Trichloropropane	Grab	N	EPA 8260	04/27/2012 06:10	<0.36 ug/L	0.36	0.50	ug/L	1
96-12-8	1,2-Dibromo-3-chloropropane	Grab	N	EPA 8260	04/27/2012 06:10	<1.0 ug/L	1.0	2.0	ug/L	1
079749	1,2-Dibromoethane (EDB)	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
034536	1,2-Dichlorobenzene	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
034531	1,2-Dichloroethane	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
540-59-0	1,2-Dichloroethene (Total)	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
034541	1,2-Dichloropropane	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
034571	1,4-Dichlorobenzene	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
081595	2-Butanone (MEK)	Grab	N	EPA 8260	04/27/2012 06:10	<5.0 ug/L	5.0	10.0	ug/L	1
077103	2-Hexanone	Grab	N	EPA 8260	04/27/2012 06:10	<5.0 ug/L	5.0	10.0	ug/L	1
081596	4-Methyl-2-pentanone (MIBK)	Grab	N	EPA 8260	04/27/2012 06:10	<5.0 ug/L	5.0	10.0	ug/L	1
081552	Acetone	Grab	N	EPA 8260	04/27/2012 06:10	<5.0 ug/L	5.0	10.0	ug/L	1
076997	Acetonitrile	Grab	N	EPA 8260	04/27/2012 06:10	<5.0 ug/L	5.0	10.0	ug/L	1
034030	Benzene	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
077297	Bromochloromethane	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
032101	Bromodichloromethane	Grab	N	EPA 8260	04/27/2012 06:10	<0.27 ug/L	0.27	0.60	ug/L	1
032104	Bromoform	Grab	N	EPA 8260	04/27/2012 06:10	<0.50J(L2) ug/L	0.50	1.0	ug/L	1
034413	Bromomethane	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
077041	Carbon disulfide	Grab	N	EPA 8260	04/27/2012 06:10	<5.0 ug/L	5.0	10.0	ug/L	1
032102	Carbon tetrachloride	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
034301	Chlorobenzene	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
034311	Chloroethane	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
032106	Chloroform	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
034418	Chloromethane	Grab	N	EPA 8260	04/27/2012 06:10	<0.62 ug/L	0.62	1.0	ug/L	1
032105	Dibromochloromethane	Grab	N	EPA 8260	04/27/2012 06:10	<0.26 ug/L	0.26	0.50	ug/L	1
077596	Dibromomethane	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
034371	Ethylbenzene	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
077424	Iodomethane	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
046491	Methyl-tert-butyl ether	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
034423	Methylene Chloride	Grab	N	EPA 8260	04/27/2012 06:10	<2.5 ug/L	2.5	5.0	ug/L	1
077128	Styrene	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1

Order # : 3555442002

Pace Analytical Services, Inc.

Client : Palm Beach Solid Waste Authority

Project Name : Central Transfer Station

Diameter (in) :

Sheen : No sheen

Depth to Water (ft) :

Color :

Total Depth (ft) :

Odor :

Top of Casing (ft) :

Matrix : Surface Water

Evacuation (gal) :

PARAMETER MONITORING REPORT

Part III Analytical Results

Facility GMS # : C.P.A.F.5.E. I & II

Sampling Date/Time : 04/25/2012 11:50

Test Side ID # : PBCC09

Report Period : 2012/Q2

Well Name : CTSW-1

Well Purge (Y/N) : N

Classification of Ground Water : SW-IIIF

Well Type : () Background

Groundwater Elevation (NGVD) :

() Intermediate

() Compliance

(X) Other

Storet Code	Parameter Monitored	Sampling Method	Field Filter	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dilution Factor
							MDL	PQL	

ORGANICS

034475	Tetrachloroethene	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
078131	Toluene	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
039180	Trichloroethene	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
034488	Trichlorofluoromethane	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
077057	Vinyl acetate	Grab	N	EPA 8260	04/27/2012 06:10	<1.0 ug/L	1.0	2.0	ug/L	1
039175	Vinyl chloride	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
081551	Xylene (Total)	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
077093	cis-1,2-Dichloroethene	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
034704	cis-1,3-Dichloropropene	Grab	N	EPA 8260	04/27/2012 06:10	<0.25 ug/L	0.25	0.50	ug/L	1
081551	m&p-Xylene	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
081551	o-Xylene	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
034546	trans-1,2-Dichloroethene	Grab	N	EPA 8260	04/27/2012 06:10	<0.50 ug/L	0.50	1.0	ug/L	1
034699	trans-1,3-Dichloropropene	Grab	N	EPA 8260	04/27/2012 06:10	<0.25 ug/L	0.25	0.50	ug/L	1
077268	trans-1,4-Dichloro-2-butene	Grab	N	EPA 8260	04/27/2012 06:10	<5.0 ug/L	5.0	10.0	ug/L	1

Order # : 3555442003

Pace Analytical Services, Inc.

Client : Palm Beach Solid Waste Authority

Project Name : Central Transfer Station

Diameter (in) :

Sheen : No Sheen

Depth to Water (ft) :

Color : Clear

Total Depth (ft) :

Odor : No Odor

Top of Casing (ft) :

Matrix : DI Water

Evacuation (gal) :

PARAMETER MONITORING REPORT

Part III Analytical Results

Facility GMS # : C.P.A.F.5.E. I & II

Sampling Date/Time : 04/25/2012 00:00

Test Side ID # : NA

Report Period : 2012/Q2

Well Name : Metals Trip Blank -042511

Well Purge (Y/N) : N

Classification of Ground Water : Equipment Blank

Well Type : () Background

Groundwater Elevation (NGVD) :

() Intermediate

() Compliance

(X) Other

Storet Code	Parameter Monitored	Sampling Method	Field Filter	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dilution Factor
							MDL	PQL	

INORGANICS

001002	Arsenic	Grab	N	EPA 6010	04/27/2012 06:21	<5.0 ug/L	5.0	10.0	ug/L	1
001007	Barium	Grab	N	EPA 6010	04/27/2012 06:21	11.2 ug/L	5.0	10.0	ug/L	1
001027	Cadmium	Grab	N	EPA 6010	04/27/2012 06:21	<0.50 ug/L	0.50	1.0	ug/L	1
001034	Chromium	Grab	N	EPA 6010	04/27/2012 06:21	<2.5 ug/L	2.5	5.0	ug/L	1
001045	Iron	Grab	N	EPA 6010	04/27/2012 06:21	<20.0 ug/L	20.0	40.0	ug/L	1
000572	Lead	Grab	N	EPA 6010	04/27/2012 06:21	<5.0 ug/L	5.0	10.0	ug/L	1
001147	Selenium	Grab	N	EPA 6010	04/27/2012 06:21	<7.5 ug/L	7.5	15.0	ug/L	1
000929	Sodium	Grab	N	EPA 6010	04/27/2012 06:21	<0.50 mg/L	0.50	1.0	mg/L	1
001034	Chromium	Grab	N	EPA 6020	04/26/2012 19:08	<0.50 ug/L	0.50	1.0	ug/L	1
000576	Mercury	Grab	N	EPA 7470	04/26/2012 13:14	<0.10 ug/L	0.10	0.20	ug/L	1

Order # : 3555442004

Pace Analytical Services, Inc.

Client : Palm Beach Solid Waste Authority

Project Name : Central Transfer Station

Diameter (in) :

Sheen : No sheen

Depth to Water (ft) :

Color :

Total Depth (ft) :

Odor :

Top of Casing (ft) :

Matrix : Surface Water

Evacuation (gal) :

PARAMETER MONITORING REPORT

Part III Analytical Results

Facility GMS # : C.P.A.F.5.E. I & II

Sampling Date/Time : 04/25/2012 00:00

Test Side ID # : NA

Report Period : 2012/Q2

Well Name : VOC Trip Blank -042511

Well Purge (Y/N) : N

Classification of Ground Water : SW-IIIF

Well Type :
 Background
 Intermediate
 Compliance
 Other

Groundwater Elevation (NGVD) : _____

Storet Code	Parameter Monitored	Sampling Method	Field Filter	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dilution Factor
							MDL	PQL	

ORGANICS

077562	1,1,1,2-Tetrachloroethane	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034506	1,1,1-Trichloroethane	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034516	1,1,2,2-Tetrachloroethane	Grab	N	EPA 8260	04/27/2012 00:24	<0.12 ug/L	0.12	0.50	ug/L	1
034511	1,1,2-Trichloroethane	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034496	1,1-Dichloroethane	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034501	1,1-Dichloroethene	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
077443	1,2,3-Trichloropropane	Grab	N	EPA 8260	04/27/2012 00:24	<0.36 ug/L	0.36	0.50	ug/L	1
96-12-8	1,2-Dibromo-3-chloropropane	Grab	N	EPA 8260	04/27/2012 00:24	<1.0 ug/L	1.0	2.0	ug/L	1
079749	1,2-Dibromoethane (EDB)	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034536	1,2-Dichlorobenzene	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034531	1,2-Dichloroethane	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
540-59-0	1,2-Dichloroethene (Total)	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034541	1,2-Dichloropropane	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034571	1,4-Dichlorobenzene	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
081595	2-Butanone (MEK)	Grab	N	EPA 8260	04/27/2012 00:24	<5.0 ug/L	5.0	10.0	ug/L	1
077103	2-Hexanone	Grab	N	EPA 8260	04/27/2012 00:24	<5.0 ug/L	5.0	10.0	ug/L	1
081596	4-Methyl-2-pentanone (MIBK)	Grab	N	EPA 8260	04/27/2012 00:24	<5.0 ug/L	5.0	10.0	ug/L	1
081552	Acetone	Grab	N	EPA 8260	04/27/2012 00:24	<5.0 ug/L	5.0	10.0	ug/L	1
076997	Acetonitrile	Grab	N	EPA 8260	04/27/2012 00:24	<5.0 ug/L	5.0	10.0	ug/L	1
034030	Benzene	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
077297	Bromochloromethane	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
032101	Bromodichloromethane	Grab	N	EPA 8260	04/27/2012 00:24	<0.27 ug/L	0.27	0.60	ug/L	1
032104	Bromoform	Grab	N	EPA 8260	04/27/2012 00:24	<0.50J(L2) ug/L	0.50	1.0	ug/L	1
034413	Bromomethane	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
077041	Carbon disulfide	Grab	N	EPA 8260	04/27/2012 00:24	<5.0 ug/L	5.0	10.0	ug/L	1
032102	Carbon tetrachloride	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034301	Chlorobenzene	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034311	Chloroethane	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
032106	Chloroform	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034418	Chloromethane	Grab	N	EPA 8260	04/27/2012 00:24	<0.62 ug/L	0.62	1.0	ug/L	1
032105	Dibromochloromethane	Grab	N	EPA 8260	04/27/2012 00:24	<0.26 ug/L	0.26	0.50	ug/L	1
077596	Dibromomethane	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034371	Ethylbenzene	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1

Order # : 3555442004

Pace Analytical Services, Inc.

Client : Palm Beach Solid Waste Authority

Project Name : Central Transfer Station

Diameter (in) :

Sheen : No sheen

Depth to Water (ft) :

Color :

Total Depth (ft) :

Odor :

Top of Casing (ft) :

Matrix : Surface Water

Evacuation (gal) :

PARAMETER MONITORING REPORT

Part III Analytical Results

Facility GMS # : C.P.A.F.5.E. I & II

Sampling Date/Time : 04/25/2012 00:00

Test Side ID # : NA

Report Period : 2012/Q2

Well Name : VOC Trip Blank -042511

Well Purge (Y/N) : N

Classification of Ground Water : SW-IIIF

Well Type : () Background

Groundwater Elevation (NGVD) :

() Intermediate

() Compliance

(X) Other

Storet Code	Parameter Monitored	Sampling Method	Field Filter	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dilution Factor
							MDL	PQL	

ORGANICS

077424	Iodomethane	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
046491	Methyl-tert-butyl ether	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034423	Methylene Chloride	Grab	N	EPA 8260	04/27/2012 00:24	<2.5 ug/L	2.5	5.0	ug/L	1
077128	Styrene	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034475	Tetrachloroethene	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
078131	Toluene	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
039180	Trichloroethene	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034488	Trichlorofluoromethane	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
077057	Vinyl acetate	Grab	N	EPA 8260	04/27/2012 00:24	<1.0 ug/L	1.0	2.0	ug/L	1
039175	Vinyl chloride	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
081551	Xylene (Total)	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
077093	cis-1,2-Dichloroethene	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034704	cis-1,3-Dichloropropene	Grab	N	EPA 8260	04/27/2012 00:24	<0.25 ug/L	0.25	0.50	ug/L	1
081551	m&p-Xylene	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
081551	o-Xylene	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034546	trans-1,2-Dichloroethene	Grab	N	EPA 8260	04/27/2012 00:24	<0.50 ug/L	0.50	1.0	ug/L	1
034699	trans-1,3-Dichloropropene	Grab	N	EPA 8260	04/27/2012 00:24	<0.25 ug/L	0.25	0.50	ug/L	1
077268	trans-1,4-Dichloro-2-butene	Grab	N	EPA 8260	04/27/2012 00:24	<5.0 ug/L	5.0	10.0	ug/L	1

CHAIN OF CUSTODY RECORD

Face Analytical
www.faceanalytical.com

LAB W.O.# 5555442 Quote: _____ Page 1 of 2

Company Name: PB SWA PO# _____
 Address: 7501 N. 505 Rd State: FL Zip: 33412
 City: WLB
 Alt#: THOMAS STAG Fax: 561-4040-316
 email: Phone: 640-4000
Central County Transfer Station
 Project Name: Surface Water Proj# _____
 Project Start: _____
 Project End: _____
 Project Type: _____
 Project Frequency: _____
 Project Status: _____
 Project Location: _____
 Project Description: _____

LAB ANALYSIS

Sample ID	Sample Description	Collect Date	Collect Time	Matrix Code	Container Type	Preservative Type	Matrix Code	Container Type	Preservative Type	Remarks	# of Containers		Replicate	Status	Date	Signature	Time	Signature	Time
											1	2							
1	CTSS BLANK-042512	4/25/12	11:38	AFW							1	1	OK	4/25/12	PLK	16:00	PLK	16:00	
2	CTS 10-1	4/25/12	11:50	S							1	1	OK	4/25/12	PLK	17:15	PLK	17:15	
3																			
4	Metals Only Blank-042511																		
5	Ver Lip Blank 042511																		
6																			
7																			
8																			
9																			
10																			

Item	Relinquished By	Relinquished Date	Relinquished Time	Signature	Time	Received By	Received Date	Received Time	Signature	Time	COC Condition				Date	Signature	Time	
											OK	Incomplete	Other	Other				
1	Brenda Huey	4/25/12	16:00	PLK	16:00	PLK	4/25/12	17:15	PLK	17:15	OK				4/25/12	PLK	17:15	
2	MW	4/25/12	17:15	PLK	17:15	PLK	4/25/12	17:15	PLK	17:15	OK				4/25/12	PLK	17:15	
3																		
4																		

C.O.C. Serial # **40211**

CENTRAL COUNTY TRANSFER STATION SWA PERMIT # C.O.A. F.5.E. I & II

Surface Water

- 1 Surface Site: CTSW-1
- 1 Equipment Blank (CTSSE Blank)
- 1 Field Duplicate (CTSFD Blank) *Optional

Parameters (Matrix: Surface Water)

A. Metals

- | | | | |
|---|----------|---------|----------|
| <input checked="" type="checkbox"/> Arsenic | Chromium | Lead | Sodium |
| Barium | Copper | Mercury | Selenium |
| Cadmium | Iron | | |

B. Indicator Parameters

- | | | |
|---|---|---|
| Ammonia Nitrogen | Nitrate N | Oil & Grease |
| <input checked="" type="checkbox"/> Total Alkalinity | <input checked="" type="checkbox"/> Foaming Agents (MBAS) | <input checked="" type="checkbox"/> Sulfate |
| <input checked="" type="checkbox"/> C.O.D. | <input checked="" type="checkbox"/> Chloride | |
| <input checked="" type="checkbox"/> TRPH (Total Recoverable Petroleum Hydrocarbons) | | |
| <input checked="" type="checkbox"/> TDS (Total Dissolved Solids) | <input checked="" type="checkbox"/> TKN (Total Kjeldahl Nitrogen) | |

C. Annual Parameters

- EPA Method 8021 (Volatile Organic Compounds & Chlorinated Hydrocarbons)

D. Field Parameters

- Conductivity (field)
- pH (field)
- Temperature (field)
- Turbidity (field)
- Dissolved Oxygen (field)

2 of 2 letter of 40211

Read Staff Gauge & Read Meter at Pump Station

SOLID WASTE AUTHORITY DIVISION OF ENVIRONMENTAL PROGRAMS SURFACE SITE DATA SHEET

Facility Identification: Central County Transfer Station Facility GMS#

Sample Type: Grab

Sample Name: CTSSEBLANK-042512 Date: 4-25-12

Time: 11:38

Depth of Sample: _____

Description: _____

Notes and Comments

Weather: sunny
+COOL
Breezy
Conductivity on scale X US
PH < 2.0 in preservative

Field Parameters	Units	Standard Appearance
Temperature:	23.2 C	Color: clear
Specific Cond:	8.8 uMHOS/cm	Odor: no odor hosheen
Redox Potential	8.80	
PH:	6.88 Std. Units	
Turb:	0.24 NTU	
D.O.	6.98 Mg/L	

atomizer in use
~120' from test
area

Bucket# J

Beaker# A

Sample Container Inventory				
Quantity	Size	Type	Preservation	Analysis

Sampled By: Brenda Dury
[Signature]

Method of Shipment Parcel

SOLID WASTE AUTHORITY DIVISION OF ENVIRONMENTAL PROGRAMS SURFACE SITE DATA SHEET

Facility Identification: **Central County Transfer Station**

Sample Type: **Grab**

Sample Name: **CTSW-1** Date: **4-25-12**
 WACS Facility ID: **PBCC01** Time: **11:50**
 WACS Test Site ID: **PBCC09**

Depth of Sample: 2-4"
 Description: Adjacent to Storm water structure in pond
staff gauge 7.30 (S)
" " 7.35 (N)
810437-meter

Notes and Comments
 Weather: **SUNNY**
COOL
Breezy
 Conductivity on scale XUS
 PH < 2.0 in preservative
 atomizer in use
 ≈ 120' from test area
 Bucket# **J**
 Beaker# **A**

Field Parameters	Units	Standard Appearance
Temperature:	24.7 C	Color: clear
Specific Cond:	uMHOS/cm	Odor: no odor no sheen
Specific Cond: ATC	295 uMHOS/cm	
PH:	6.90 Std. Units	
Turb:	1.24 NTU	
D.O.	Mg/L	

Sample Container Inventory				
Quantity	Size	Type	Preservation	Analysis

Sampled By: Brenda Dunning
Mal Method of Shipment: Pace

Sample Condition Upon Receipt Form (SCUR)

Table Number: _____



Client Name: PBSWA Project # 3555442

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Tracking # _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Date and initials of person examining contents: JP 4/25/19

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used T109 Type of Ice: Wet Blue None

Cooler Temperature °C 2.1 (Visual) 0.6 (Correction Factor) 2.7 (Actual)

(Temp should be above freezing to 0°-5°C). If below 0°C, then was sample frozen?

Yes No

Receipt of samples satisfactory: Yes No

Rush TAT requested on COC: _____

If yes, then all conditions below were met:

If no, then mark box & describe issue (use comments area if necessary):

Chain of Custody Present	<input type="checkbox"/>
Chain of Custody Filled Out	<input type="checkbox"/>
Relinquished Signature & Sampler Name COC	<input type="checkbox"/>
Samples Arrived within Hold Time	<input type="checkbox"/>
Sufficient Volume	<input type="checkbox"/>
Correct Containers Used	<input type="checkbox"/>
Containers Intact	<input type="checkbox"/>
Sample Labels match COC (sample IDs & date/time of collection)	<input type="checkbox"/>
	No Labels: <input type="checkbox"/> No Time/Date on Labels: <input type="checkbox"/>
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/>
No Headspace in VOA Vials (>6mm):	<input type="checkbox"/>

Client Notification/ Resolution:

Person Contacted: _____ Date/Time: _____

Comments/ Resolution (use back for additional comments): _____

Project Manager Review: _____ Date: _____

Finished Product Information Only	
F.P. Sample ID: _____	Size & Qty of Bottles Received
Production Code: _____	_____ x 5 Gal
Date/Time Opened: _____	_____ x 2.5 Gal
Number of Unopened Bottles Remaining: _____	_____ x 1 Gal
	_____ x 1 Liter
	_____ x 500 mL
	_____ x 250 mL
	_____ x Other: _____
Extra Sample in Shed: Yes No	