



REPORT OF ANALYSIS

Printed 02/01/10 05:01

Thomas Sirna
Palm Beach Solid Waste Authority
7501 N. Jog Rd.
West Palm Beach, FL 33412

RECEIVED

JAN 04 2010

Log #: 355186
Report Period: 2009/Q4

Client Project ID Central Cnty Transfer Station
Collected By Client

Laboratory Sample #	Client Sample #
355186-001	CTSSEB-121009
355186-002	CTSW-1
355186-003	Metals Blank

3231 NW 7th Avenue, Boca Raton, FL 33431

Respectfully submitted,

Final Ver. 1.600
Mike Kimmel



02-JAN-10

Project Manager: **Thomas Sirna**
Palm Beach Solid Waste Authority
7501 N. Jog Rd.
West Palm Beach, FL 33412

Reference: XENCO Report No: **355186**
Central County Transfer Station Surface Water
Project Address:

Thomas Sirna:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number 355186. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. Estimation of data uncertainty for this report is found in the quality control section of this report unless otherwise noted. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 355186 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Mike Kimmel
Office Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America

Order #: 355186-001

Client: Palm Beach Solid Waste Authority

XENCO Laboratories

Report for Analysis for DEP
Central Cnty Transfer Station

Diameter (in):
Depth to Water (ft):
Total Depth (ft):
Top of Casing (ft):
Evacuation (gal):

Sheen: NONE
Color: CLEAR
Odor: NONE
Matrix: Water

PARAMETER MONITORING REPORT

Part III Analytical Results

Facility GMS #: _____ Sampling Date/Time: 12/10/2009 11:00
 Test Site ID #: _____ Report Period: 2009/Q4
 Well Name: CTSSEB-121009 Well Purge (Y/N): N
 Classification of Ground Water: Equipment Blank Well Type: () Background
 G W Elevation (NGVD): _____ () Intermediate
 () Compliance
 (X) Other

Storet Code	Parameter Name	Samp Meth	Field Filter	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dil
							MDL	RL	
Field Parameters									
000664	pH	Grab	N	E150.1	12/10/09 11:00	7.13 SU	1	SU	1
000010	Temperature	Grab	N	E170.1	12/10/09 11:00	25.2 Deg C	1	Deg C	1
000537	Specific conductance	Grab	N	SW9050	12/10/09 11:00	9.10 umhos/cm	10	umhos/cm	1
082078	Turbidity	Grab	N	E180.1	12/10/09 11:00	0.370 NTU	0.1	NTU	1
INORGANICS									
000567	Copper	Grab	N	E200.8	12/15/09 17:59	<0.84 ug/L	0.84	2.00	ug/L 1
000576	Mercury	Grab	N	SW7470A	12/15/09 17:53	<0.1126 ug/L	0.1126	0.2000	ug/L 1
001002	Arsenic	Grab	N	SW6010B	12/17/09 20:55	<4.60 ug/L	4.60	10.0	ug/L 1
001007	Barium	Grab	N	SW6010B	12/17/09 20:55	<2.0 ug/L	2.00	10.0	ug/L 1
001027	Cadmium	Grab	N	SW6010B	12/17/09 20:55	<0.570 ug/L	0.570	5.00	ug/L 1
001034	Chromium	Grab	N	SW6010B	12/17/09 20:55	<1.10 ug/L	1.10	5.00	ug/L 1
000569	Iron	Grab	N	SW6010B	12/17/09 20:55	<45.0 ug/L	45.0	100	ug/L 1
000572	Lead	Grab	N	SW6010B	12/17/09 20:55	<3.10 ug/L	3.10	10.0	ug/L 1
001147	Selenium	Grab	N	SW6010B	12/17/09 20:55	<5.40 ug/L	5.40	30.0	ug/L 1
000929	Sodium	Grab	N	SW6010B	12/17/09 20:55	<0.074 mg/L	0.074	0.250	mg/L 1
Other									
000599	Nitrogen, Ammonia (as N)	Grab	N	E350.1	12/18/09 11:08	<0.020 mg/L	0.020	0.100	mg/L 1
000593	Chloride	Grab	N	E300	12/12/09 01:19	0.1671 mg/L	0.066	0.500	mg/L 1
001868	Sulfate	Grab	N	E300	12/12/09 01:19	6.66 mg/L	0.076	0.500	mg/L 1
000620	Nitrate as N	Grab	N	E300	12/12/09 01:19	<0.007 mg/L	0.007	0.050	mg/L 1
000515	Total dissolved solids	Grab	N	SM2540C	12/14/09 16:00	<5.0 mg/L	5.00	5.00	mg/L 1
000340	COD - Chemical Oxygen Demand	Grab	N	E410.4	12/17/09 18:00	9.221 mg/L	6.70	20.0	mg/L 1
000560	Oil & Grease, HEM	Grab	N	E1664A	12/11/09 20:00	<1.43 mg/L	1.43	4.00	mg/L 1

Order #: 355186-001

Client: Palm Beach Solid Waste Authority

XENCO Laboratories

Report for Analysis for DEP
Central Cnty Transfer Station

Diameter (in):

Depth to Water (ft):

Total Depth (ft):

Top of Casing (ft):

Evacuation (gal):

Sheen: NONE

Color: CLEAR

Odor: NONE

Matrix: Water

PARAMETER MONITORING REPORT

Part III Analytical Results

Facility GMS #: _____

Sampling Date/Time: 12/10/2009 11:00

Test Site ID #: _____

Report Period: 2009/Q4

Well Name: CTSSEB-121009

Well Purge (Y/N): N

Classification of Ground Water: Equipment Blank

Well Type: () Background

G W Elevation (NGVD): _____

() Intermediate

() Compliance

(X) Other

Storet Code	Parameter Name	Samp Meth	Field Filter	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dil	
							MDL	RL		
000410	Alkalinity, Total (CaCO3)	Grab	N	SM2320B	12/15/09 09:50	<2.17 mg/L	2.17	8.68	mg/L	1
	Surfactants	Grab	N	SM5540C	12/11/09 11:00	<0.043 mg/L	0.043	0.100	mg/L	1
000601	Nitrogen, Total Kjeldahl	Grab	N	E351.2	12/18/09 17:26	<0.074 mg/L	0.074	0.300	mg/L	1
	Total Petroleum Hydrocarbons (TPH)	Grab	N	E1664T	12/11/09 20:00	<1.63 mg/L	1.63	5.00	mg/L	1

Order #: 355186-002

Client: Palm Beach Solid Waste Authority

XENCO Laboratories

Report for Analysis for DEP
Central Cnty Transfer Station

Diameter (in):
Depth to Water (ft):
Total Depth (ft):
Top of Casing (ft):
Evacuation (gal):

Sheen: NONE
Color: LIGHT YELLOW
Odor: NONE
Matrix: Surface Water

PARAMETER MONITORING REPORT

Part III Analytical Results

Facility GMS #: _____ Sampling Date/Time: 12/10/2009 11:15
 Test Site ID #: _____ Report Period: 2009/Q4
 Well Name: CTSW-1 Well Purge (Y/N): N
 Classification of Ground Water: Sample, Analytical Request Well Type: () Background
 G W Elevation (NGVD): _____ () Intermediate
 () Compliance
 (X) Other

Storet Code	Parameter Name	Samp Meth	Field Filter	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dil
							MDL	RL	
Field Parameters									
000664	pH	Grab	N	E150.1	12/10/09 11:15	6.62 SU	1	SU	1
000010	Temperature	Grab	N	E170.1	12/10/09 11:15	25.5 Deg C	1	Deg C	1
000537	Specific conductance	Grab	N	SW9050	12/10/09 11:15	286 umhos/cm	10	umhos/cm	1
082078	Turbidity	Grab	N	E180.1	12/10/09 11:15	0.650 NTU	0.1	NTU	1
INORGANICS									
000567	Copper	Grab	N	E200.8	12/15/09 18:07	<0.84 ug/L	0.84	2.00	ug/L 1
000576	Mercury	Grab	N	SW7470A	12/15/09 18:01	<0.1126 ug/L	0.1126	0.2000	ug/L 1
001002	Arsenic	Grab	N	SW6010B	12/17/09 21:01	<4.60 ug/L	4.60	10.0	ug/L 1
001007	Barium	Grab	N	SW6010B	12/17/09 21:01	5.44 I ug/L	2.00	10.0	ug/L 1
001027	Cadmium	Grab	N	SW6010B	12/17/09 21:01	<0.570 ug/L	0.570	5.00	ug/L 1
001034	Chromium	Grab	N	SW6010B	12/17/09 21:01	<1.10 ug/L	1.10	5.00	ug/L 1
000569	Iron	Grab	N	SW6010B	12/17/09 21:01	<45.0 ug/L	45.0	100	ug/L 1
000572	Lead	Grab	N	SW6010B	12/17/09 21:01	<3.10 ug/L	3.10	10.0	ug/L 1
001147	Selenium	Grab	N	SW6010B	12/17/09 21:01	<5.40 ug/L	5.40	30.0	ug/L 1
000929	Sodium	Grab	N	SW6010B	12/17/09 21:01	15.6 mg/L	0.074	0.250	mg/L 1
Other									
000599	Nitrogen, Ammonia (as N)	Grab	N	E350.1	12/18/09 11:09	<0.020 mg/L	0.020	0.100	mg/L 1
000593	Chloride	Grab	N	E300	12/12/09 01:36	27.2 mg/L	0.664	5.00	mg/L 10
001868	Sulfate	Grab	N	E300	12/12/09 01:36	35.2 mg/L	0.755	5.00	mg/L 10
000620	Nitrate as N	Grab	N	E300	12/12/09 01:36	<0.074 mg/L	0.074	0.500	mg/L 10
000515	Total dissolved solids	Grab	N	SM2540C	12/14/09 16:00	196 mg/L	5.00	5.00	mg/L 1
000340	COD - Chemical Oxygen Demand	Grab	N	E410.4	12/17/09 18:00	38.0 mg/L	6.70	20.0	mg/L 1
000560	Oil & Grease, HEM	Grab	N	E1664A	12/11/09 20:00	1.95 I mg/L	1.43	4.00	mg/L 1

Order #: 355186-002

Client: Palm Beach Solid Waste Authority

Diameter (in):

Depth to Water (ft):

Total Depth (ft):

Top of Casing (ft):

Evacuation (gal):

XENCO Laboratories

Report for Analysis for DEP
Central Cnty Transfer Station

Sheen: NONE

Color: LIGHT YELLOW

Odor: NONE

Matrix: Surface Water

PARAMETER MONITORING REPORT

Part III Analytical Results

Facility GMS #: _____

Sampling Date/Time: 12/10/2009 11:15

Test Site ID #: _____

Report Period: 2009/Q4

Well Name: CTSW-1

Well Purge (Y/N): N

Classification of Ground Water: Sample, Analytical Request

Well Type: () Background
() Intermediate
() Compliance
(X) Other

G W Elevation (NGVD): _____

Storet Code	Parameter Name	Samp Meth	Field Filter	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dil	
							MDL	RL		
000410	Alkalinity, Total (CaCO3)	Grab	N	SM2320B	12/15/09 09:50	74.0 mg/L	2.17	8.68	mg/L	1
	Surfactants	Grab	N	SM5540C	12/11/09 11:00	<0.043 mg/L	0.043	0.100	mg/L	1
000601	Nitrogen, Total Kjeldahl	Grab	N	E351.2	12/18/09 17:27	0.779 mg/L	0.074	0.300	mg/L	1
	Total Petroleum Hydrocarbons (TPH)	Grab	N	E1664T	12/11/09 20:00	<1.63 mg/L	1.63	5.00	mg/L	1

Order #: 355186-003

Client: Palm Beach Solid Waste Authority

XENCO Laboratories

Report for Analysis for DEP
Central Cnty Transfer Station

Diameter (in):

Depth to Water (ft):

Total Depth (ft):

Top of Casing (ft):

Evacuation (gal):

Sheen: NONE

Color:

Odor:

Matrix: Water, Laboratory Grade T

PARAMETER MONITORING REPORT

Part III Analytical Results

Facility GMS #: _____

Sampling Date/Time: 12/10/2009 00:00

Test Site ID #: _____

Report Period: 2009/Q4

Well Name: Metals Blank

Well Purge (Y/N): N

Classification of Ground Water: Trip Blank

Well Type: () Background

G W Elevation (NGVD): _____

() Intermediate

() Compliance

(X) Other

Storet Code	Parameter Name	Samp Meth	Field Filter	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dil	
							MDL	RL		
INORGANICS										
000567	Copper	Grab	N	E200.8	12/15/09 18:15	<0.84 ug/L	0.84	2.00	ug/L	1
000576	Mercury	Grab	N	SW7470A	12/15/09 18:03	<0.1126 ug/L	0.1126	0.2000	ug/L	1
001002	Arsenic	Grab	N	SW6010B	12/17/09 21:08	<4.60 ug/L	4.60	10.0	ug/L	1
001007	Barium	Grab	N	SW6010B	12/17/09 21:08	<2.00 ug/L	2.00	10.0	ug/L	1
001027	Cadmium	Grab	N	SW6010B	12/17/09 21:08	<0.570 ug/L	0.570	5.00	ug/L	1
001034	Chromium	Grab	N	SW6010B	12/17/09 21:08	<1.10 ug/L	1.10	5.00	ug/L	1
000569	Iron	Grab	N	SW6010B	12/17/09 21:08	<45.0 ug/L	45.0	100	ug/L	1
000572	Lead	Grab	N	SW6010B	12/17/09 21:08	<3.10 ug/L	3.10	10.0	ug/L	1
001147	Selenium	Grab	N	SW6010B	12/17/09 21:08	<5.40 ug/L	5.40	30.0	ug/L	1
000929	Sodium	Grab	N	SW6010B	12/17/09 21:08	<0.074 mg/L	0.074	0.250	mg/L	1



Flagging Criteria

FLORIDA Flagging Criteria

- A** Value reported is the mean (average) of two or more determinations. This code shall be used if the reported value is the average of results for two or more discrete and separate samples. These samples shall have been processed and analyzed independently. Do not use this code if the data are the result of replicate analysis on the same sample aliquot, extract or digestate.
- B** Results based upon colony counts outside the acceptable range. This code applies to microbiological tests and specifically to membrane filter colony counts. The code is to be used if the colony count is generated from a plate in which the total number of coliform colonies is outside the method indicated ideal range. This code is not to be used if a 100 mL sample has been filtered and the colony count is less than the lower value of the ideal range.
- F** When reporting species: F indicates the female sex. Otherwise it indicates RPD value is outside the acceptable range.
- H** Value based on field kit determination; results may not be accurate. This code shall be used if a field screening test (i.e., field gas chromatograph data, immunoassay, vendor-supplied field kit, etc.) was used to generate the value and the field kit or method has not been recognized by the Department as equivalent to laboratory methods.
- I** The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J** Estimated value. A "J" value shall be accompanied by a narrative justification for its use. Where possible, the organization shall report whether the actual value is less than or greater than the reported value. A "J" value shall not be used as a substitute for K, L, M, T, V, or Y, however, if additional reasons exist for identifying the value as estimate (e.g., matrix spiked failed to meet acceptance criteria), the "J" code may be added to a K, L, M, T, V, or Y. The following are some examples of narrative descriptions that may accompany a "J" code:
 - J1: No known quality control criteria exist for the component;
 - J2: The reported value failed to meet the established quality control criteria for either precision or accuracy (the specific failure must be identified);
 - J3: The sample matrix interfered with the ability to make any accurate determination;
 - J4: The data are questionable because of improper laboratory or field protocols (e.g., composite sample was collected instead of a grab sample).
 - J5: The field calibration verification did not meet calibration acceptance criteria.
 - J6: QC protocol not followed.

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America

11381 Meadowglen Lane Suite L Houston, Tx 77082-2647
 11078 Morrison Rd., Suite D, Dallas, TX 75229
 5309 Wurzbach, Ste 104 San Antonio TX 78238
 2505 N. Falkenburg Rd., Tampa, FL 33619
 5757 NW 158th St, Miami Lakes, FL 33014

Phone	Fax
(281) 589-0692	(281) 589-0695
(972) 481-9999	(972) 481-9998
(210) 509-3334	(201) 509-3335
(813) 620-2000	(813) 620-2033
(305) 823-8500	(305) 823-8555



Flagging Criteria

J7: B/A results for Chlorophyll does not meet 1 - 1.7 ratio.

- K** Off-scale low. Actual value is known to be less than the value given. This code shall be used if:
 - 1. The value is less than the lowest calibration standard and the calibration curve is known to be non-linear; or
 - 2. The value is known to be less than the reported value based on sample size, dilution. This code shall not be used to report values that are less than the laboratory practical quantitation limit or laboratory method detection limit.
- L** Off-scale high. Actual value is known to be greater than value given. To be used when the concentration of the analyte is above the acceptable level for quantitation (exceeds the linear range or highest calibration standard) and the calibration curve is known to exhibit a negative deflection.
- M** When reporting chemical analyses: presence of material is verified but not quantified; the actual value is less than the value given. The reported value shall be the laboratory practical quantitation limit. This code shall be used if the level is too low to permit accurate quantification, but the estimated concentration is greater than the method detection limit. If the value is less than the method detection limit use "T" below.
- N** Presumptive evidence of presence of material. This qualifier shall be used if:
 - 1. The component has been tentatively identified based on mass spectral library search; or
 - 2. There is an indication that the analyte is present, but quality control requirements for confirmation were not met (i.e., presence of analyte was not confirmed by alternative procedures).
- O** Sampled, but analysis lost or not performed.
- Q** Sample held beyond the accepted holding time. This code shall be used if the value is derived from a sample that was prepared or analyzed after the approved holding time restrictions for sample preparation or analysis.
- T** Value reported is less than the laboratory method detection limit. The value is reported for informational purposes, only and shall not be used in statistical analysis.
- U** Indicates that the compound was analyzed for but not detected. This symbol shall be used to indicate that the specified component was not detected. The value associated with the qualifier shall be the laboratory method detection limit. Unless requested by the client, less than the method detection limit values shall not be reported (see "T" above).
- V** Indicates that the analyte was detected in both the sample and the associated method blank. Note: the value in the blank shall not be subtracted from associated samples.

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America

11381 Meadowglen Lane Suite L Houston, Tx 77082-2647
11078 Morrison Rd., Suite D, Dallas, TX 75229
5309 Wurzbach, Ste 104 San Antonio TX 78238
2505 N. Falkenburg Rd., Tampa, FL 33619
5757 NW 158th St, Miami Lakes, FL 33014

Phone	Fax
(281) 589-0692	(281) 589-0695
(972) 481-9999	(972) 481-9998
(210) 509-3334	(201) 509-3335
(813) 620-2000	(813) 620-2033
(305) 823-8500	(305) 823-8555



Flagging Criteria

- Y** The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z** Too many colonies were present (TNTC); the numeric value represents the filtration volume.
- ?** Data are rejected and should not be used. Some or all of the quality control data for the analyte were outside criteria, and the presence or absence of the analyte cannot be determined from the data.
- * Not reported due to interference.

The following codes deal with certain aspects of field activities. The codes shall be used if the laboratory has knowledge of the specific sampling event. The codes shall be added by the organization collecting samples if they apply:

- D** The sample result was reported from a dilution.
- E** Indicates that extra samples were taken at composite stations.
- R** Significant rain in the past 48 hours. (Significant rain typically involves rain in excess of 1/2 inch within the past 48 hours.) This code shall be used when the rainfall might contribute to a lower than normal value.
- !** Data deviate from historically established concentration ranges.
- +** Outside XENCO's scope of NELAC accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America

11381 Meadowglen Lane Suite L Houston, Tx 77082-2647
 11078 Morrison Rd., Suite D, Dallas, TX 75229
 5309 Wurzbach, Ste 104 San Antonio TX 78238
 2505 N. Falkenburg Rd., Tampa, FL 33619
 5757 NW 158th St, Miami Lakes, FL 33014

Phone	Fax
(281) 589-0692	(281) 589-0695
(972) 481-9999	(972) 481-9998
(210) 509-3334	(201) 509-3335
(813) 620-2000	(813) 620-2033
(305) 823-8500	(305) 823-8555

CENTRAL COUNTY TRANSFER STATION SURFACE WATER

1 Surface water: CTSW-1

1 Equipment Blank (CTSSEB-)

Parameters (Matrix Surface Water)

- A. METALS**
- | | | | |
|---------|----------|---------|----------|
| Arsenic | Chromium | Lead | Sodium |
| Barium | Copper | Mercury | Selenium |
| Cadmium | Iron | | |
- B. INDICATOR PARAMETERS**
- | | | |
|-----------------------|---|--------------|
| Ammonia Nitrogen | Nitrate N | Oil & Grease |
| Total Alkalinity | TKN (Total Kjehdahl Nitrogen) | Sulfate |
| C.O.D. | TDS (Total Dissolved Solids) | |
| Chloride | TRPH (Total Recoverable Petroleum Hydrocarbons) | |
| Foaming Agents (MBAS) | | |
- C. FIELD PARAMETERS**
- Conductivity (field)
 - pH (field)
 - Temperature (field)
 - Turbidity (field)

**READ STAFF GUAGE
READ METER AT MASTER PUMP STATION**

2 of 2
COC # 210853

SOLID WASTE AUTHORITY

DIVISION OF ENVIRONMENTAL PROGRAMS

SURFACE SITE DATA SHEET

Facility Identification: Central County Transfer Station Facility GMS#

Sample Type: Grab

Sample Name: CTSSEB -121009 Date: 12-10-09

Time: 11:00

Depth of Sample: _____

Description: _____

Notes and Comments

Weather: *Sunny, warm
light breeze*

Conductivity on scale X *US*

PH *< 2.0* in preservative

Field Parameters	Units	Standard Appearance
Temperature:	<i>25.2</i> C	Color: <i>clear</i> Odor: <i>no odor</i> <i>no sheen</i>
Specific Cond:	<i>9.1</i> uMHOS/cm	
Redox Potential	<i>2</i>	
PH:	<i>7.13</i> Std. Units	
Turb:	<i>137</i> NTU	
D.O.	Mg/L	

Bucket# *D*

Beaker# *A*

Sample Container Inventory

Quantity	Size	Type	Preservation	Analysis

Sampled By: *Brenda Dacey*

Manny Alon

Method of Shipment *Veres*

SOLID WASTE AUTHORITY DIVISION OF ENVIRONMENTAL PROGRAMS SURFACE SITE DATA SHEET

Facility Identification: **Central County Transfer Station**

Sample Type: **Grab**

Sample Name: **CTSW-1**

Date: **12/10/09**

Time: **11:15**

Depth of Sample: **~ 2-4 "**

Description: Adjacent to Storm water structure in pond

meter 425956

Staff gage S 8.51

Staff gage N. 8.50

Notes and Comments

Weather:

**Sunny, Warm
lgt + breeze**

Conductivity on scale X 0.5

PH < 2.0 in preservative

Bucket# **D**

Beaker# **A**

Field Parameters	Units	Standard Appearance
Temperature:	25.5 C	Color: very light yellow
Specific Cond:	uMHOS/cm	
Specific Cond: ATC	286 uMHOS/cm	Odor: no odor no sheen
PH:	6.62 Std. Units	
Turb:	.65 NTU	
D.O.	Mg/L	

Sample Container Inventory				
Quantity	Size	Type	Preservation	Analysis

~~Each time sampled, remember to open and close control structure.~~

Sampled By: **Brenda Davenny**

Manny Alvarez

Method of Shipment: **Venco**

XENCO LABORATORIES

Container Receipt Verification Form

Work Order Number: 355186 Chain of Custody Number(s): 210853

Tests	Container Type/Pres.	gal GA/	32oz N/M GA/	32oz N/M GA/	32oz N/M GA/	32oz W/M GA/	VOA/	VOA/	VOA/	120mL P w. Pill	4oz Plastic/	4oz Plastic/	250mL HDPE/	250mL HDPE/	500mL HDPE/	500mL HDPE/	500mL HDPE/	500mL HDPE/	1L HDPE/	1L HDPE/	1L HDPE/	90z GC/	90z GC/	90z GC/	40z GC/	40z GC/	20z GC/	20z GC/	Tedar Bag	Ampules/	Other/	Comments					
				</																																	