



Central County Transfer Station MW's  
**Diameter (in):** 2  
**Depth to Water (ft):** 6.68  
**Top of casing (ft):** 22.27  
**Total Depth (ft):** 36.60

**RECEIVED**  
**NOV 25, 2020**

**Lab ID:** 20J0976-01  
**Sheen:**No  
**Color:**Slight Yellow  
**Odor:**No  
**Matrix:**Ground Water

**Parameter Monitoring Report**

**WACS Facility #:** PBCC01      **Sampling Date:** 10/28/20 11:14  
**WACS Test Site ID#:** PBCC01      **Report Period:** 2020Q4  
**Well Name:** CTMW-1S      **Well Purge (Y/N):** Y  
**GW Classification:** G II      **Well Type:** Background Intermediate      **Compliance (X)**  
**GW Elevation:** 15.59      Other

Parameter	Result	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
-----------	--------	-------	-----	-----	-----	--------	-----------	-------------	---------

**Field Parameter (s) (See Notes and Definitions Page)**

Specific Conductance (field)	206	uS/cm @ 25°C	1			FDEP SOP	10/28 11:14	10/28 11:14	REP.
pH (Field) at 25°C	7.03	pH Units	1			FDEP SOP	10/28 11:14	10/28 11:14	REP.
Temperature (field)	27.5	°C	1			FDEP SOP	10/28 11:14	10/28 11:14	REP.
Turbidity (Field)	1.02	NTU	1			FDEP SOP	10/28 11:14	10/28 11:14	REP.

**Classical Chemistry Parameters**

TRPH	<1.42	mg/L	1	1.42	4.27	EPA 1664A	10/29 10:00	10/29 19:00	AR
------	-------	------	---	------	------	-----------	-------------	-------------	----

**Wet Chemistry**

Total Alkalinity	62.1	mg/L	1	2.49	7.46	EPA 310.2	11/02 12:01	11/02 12:01	SA
Ammonia as N	0.0259	mg/L	1	0.00620	0.0200	EPA 350.1	10/30 11:37	10/30 11:37	EP
Chloride	9.33	mg/L	1	0.140	0.419	EPA 300.0	10/29 18:30	10/30 01:26	OC
Chemical Oxygen Demand	9.60	mg/L	1	6.14	18.4	EPA 410.4	10/29 15:05	10/29 18:05	OC
Color	10/7.71	Pt-Co	1	5.00	15.0	SM 2120B	10/29 10:30	10/29 10:30	AR
MBAS as LAS, mol wt. 340	<0.0220	mg/L	1	0.0220	0.100	SM5540C	10/28 17:50	10/28 17:50	SA
Nitrate as N	0.0300	mg/L	1	0.0278	0.0835	EPA 300.0	10/29 18:30	10/30 01:26	OC
Odor at 60°C	N.O.O.	T.O.N.	1	1.00	3.00	SM 2150B	10/28 18:00	10/28 18:00	SA
Sulfate	5.95	mg/L	1	0.133	0.399	EPA 300.0	10/29 18:30	10/30 01:26	OC
Sulfide	0.00700	mg/L	1	0.00620	0.0500	SM 4500-S D	11/02 15:00	11/02 15:00	AR
Total Dissolved Solids	118	mg/L	1	20.0	60.0	SM 2540C	10/30 09:42	11/02 11:29	LC
Total Kjeldahl Nitrogen	<0.184	mg/L	1	0.184	0.552	EPA 351.2	10/29 14:00	10/29 19:56	EP

**Total Recoverable Metals by EPA 200 Series Methods**

Arsenic	<3.14	ug/L	1	3.14	10.0	EPA 200.7/3010	10/29 08:00	10/29 11:30	IN
Barium	6.30	ug/L	1	0.144	1.00	EPA 200.7/3010	10/29 08:00	10/29 11:30	IN
Cadmium	<0.175	ug/L	1	0.175	1.00	EPA 200.7/3010	10/29 08:00	10/29 11:30	IN

Florida-Spectrum Environmental Services, Inc.  
 1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory  
 528 Gooch Rd.  
 Fort Mead, FL 33841

Big Lake Laboratory  
 610 Parrot Ave. N.  
 Okeechobee, FL 34972

Lakeland Laboratory  
 111 Easton Dr.  
 Lakeland, FL 33803

Savannah Laboratory  
 108 Airport Park Dr.  
 Garden City, GA 31408



Central County Transfer Station MW's  
**Diameter (in):** 2  
**Depth to Water (ft):** 6.68  
**Top of casing (ft):** 22.27  
**Total Depth (ft):** 36.60

**Lab ID:** 20J0976-01  
**Sheen:**No  
**Color:**Slight Yellow  
**Odor:**No  
**Matrix:**Ground Water

**Parameter Monitoring Report**

<b>WACS Facility #:</b>	PBCC01	<b>Sampling Date:</b>	10/28/20 11:14
<b>WACS Test Site ID#:</b>	PBCC01	<b>Report Period:</b>	2020Q4
<b>Well Name:</b>	CTMW-1S	<b>Well Purge (Y/N):</b>	Y
<b>GW Classification:</b>	G II	<b>Well Type:</b>	Background Intermediate
<b>GW Elevation:</b>	15.59		Compliance (X) Other

Parameter	Result	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
-----------	--------	-------	-----	-----	-----	--------	-----------	-------------	---------

**Total Recoverable Metals by EPA 200 Series Methods**

Chromium	<1.28	ug/L	1	1.28	5.00	EPA 200.7/3010	10/29 08:00	10/29 11:30	IN
Copper	<1.01	ug/L	1	1.01	4.00	EPA 200.8	10/29 09:30	10/29 13:28	MAZ
Iron	794	ug/L	1	2.36	10.0	EPA 200.7/3010	10/29 08:00	10/29 11:30	IN
Lead	<1.66	ug/L	1	1.66	10.0	EPA 200.7/3010	10/29 08:00	10/29 11:30	IN
Mercury	<0.0116	ug/L	1	0.0116	0.100	EPA 200.8	11/02 08:00	11/02 12:09	IN
Selenium	<4.39	ug/L	1	4.39	15.0	EPA 200.7/3010	10/29 08:00	10/29 11:30	IN
Sodium	3.43	mg/L	1	0.420	2.00	EPA 200.7/3010	10/29 08:00	10/29 11:30	IN

Florida-Spectrum Environmental Services, Inc.  
 1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory  
 528 Gooch Rd.  
 Fort Mead, FL 33841

Big Lake Laboratory  
 610 Parrot Ave. N.  
 Okeechobee, FL 34972

Lakeland Laboratory  
 111 Easton Dr.  
 Lakeland, FL 33803

Savannah Laboratory  
 108 Airport Park Dr.  
 Garden City, GA 31408



Central County Transfer Station MW's  
**Diameter (in):** 2  
**Depth to Water (ft):** 7.72  
**Top of casing (ft):** 22.31  
**Total Depth (ft):** 69.30

**Lab ID:** 20J0976-02  
**Sheen:**No  
**Color:**Slight Yellow  
**Odor:**No  
**Matrix:**Ground Water

### Parameter Monitoring Report

<b>WACS Facility #:</b> PBCC01	<b>Sampling Date:</b> 10/28/20 11:42
<b>WACS Test Site ID#:</b> PBCC02	<b>Report Period:</b> 2020Q4
<b>Well Name:</b> CTMW-11	<b>Well Purge (Y/N):</b> Y
<b>GW Classification:</b> G II	<b>Well Type:</b> Background Intermediate
<b>GW Elevation:</b> 14.59	<b>Compliance (X)</b> Other

Parameter	Result	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
-----------	--------	-------	-----	-----	-----	--------	-----------	-------------	---------

#### Field Parameter (s) (See Notes and Definitions Page)

Specific Conductance (field)	524	uS/cm @ 25°C	1			FDEP SOP	10/28 11:42	10/28 11:42	REP.
pH (Field) at 25°C	7.01	pH Units	1			FDEP SOP	10/28 11:42	10/28 11:42	REP.
Temperature (field)	27.7	°C	1			FDEP SOP	10/28 11:42	10/28 11:42	REP.
Turbidity (Field)	1.02	NTU	1			FDEP SOP	10/28 11:42	10/28 11:42	REP.

#### Classical Chemistry Parameters

TRPH	<1.43	mg/L	1	1.43	4.31	EPA 1664A	10/29 10:00	10/29 19:00	AR
------	-------	------	---	------	------	-----------	-------------	-------------	----

#### Wet Chemistry

Total Alkalinity	199	mg/L	1	2.49	7.46	EPA 310.2	11/02 12:01	11/02 12:01	SA
Ammonia as N	0.104	mg/L	1	0.00620	0.0200	EPA 350.1	10/30 11:37	10/30 11:37	EP
Chloride	25.2	mg/L	1	0.140	0.419	EPA 300.0	10/29 18:30	10/30 02:18	OC
Chemical Oxygen Demand	33.6	mg/L	1	6.14	18.4	EPA 410.4	10/29 15:05	10/29 18:05	OC
Color	50/7.53	Pt-Co	1	5.00	15.0	SM 2120B	10/29 10:30	10/29 10:30	AR
MBAS as LAS, mol wt. 340	<0.0220	mg/L	1	0.0220	0.100	SM5540C	10/28 17:50	10/28 17:50	SA
Nitrate as N	0.0320	mg/L	1	0.0278	0.0835	EPA 300.0	10/29 18:30	10/30 02:18	OC
Odor at 60°C	N.O.O.	T.O.N.	1	1.00	3.00	SM 2150B	10/28 18:00	10/28 18:00	SA
Sulfate	19.2	mg/L	1	0.133	0.399	EPA 300.0	10/29 18:30	10/30 02:18	OC
Sulfide	0.0400	mg/L	1	0.00620	0.0500	SM 4500-S D	11/02 15:00	11/02 15:00	AR
Total Dissolved Solids	314	mg/L	1	20.0	60.0	SM 2540C	10/30 09:42	11/02 11:29	LC
Total Kjeldahl Nitrogen	0.632	mg/L	1	0.184	0.552	EPA 351.2	10/29 14:00	10/29 19:56	EP

#### Total Recoverable Metals by EPA 200 Series Methods

Arsenic	<3.14	ug/L	1	3.14	10.0	EPA 200.7/3010	10/29 08:00	10/29 11:33	IN
Barium	14.8	ug/L	1	0.144	1.00	EPA 200.7/3010	10/29 08:00	10/29 11:33	IN
Cadmium	<0.175	ug/L	1	0.175	1.00	EPA 200.7/3010	10/29 08:00	10/29 11:33	IN

Florida-Spectrum Environmental Services, Inc.  
 1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory  
 528 Gooch Rd.  
 Fort Mead, FL 33841

Big Lake Laboratory  
 610 Parrot Ave. N.  
 Okeechobee, FL 34972

Lakeland Laboratory  
 111 Easton Dr.  
 Lakeland, FL 33803

Savannah Laboratory  
 108 Airport Park Dr.  
 Garden City, GA 31408



Central County Transfer Station MW's  
**Diameter (in):** 2  
**Depth to Water (ft):** 7.72  
**Top of casing (ft):** 22.31  
**Total Depth (ft):** 69.30

**Lab ID:** 20J0976-02  
**Sheen:**No  
**Color:**Slight Yellow  
**Odor:**No  
**Matrix:**Ground Water

**Parameter Monitoring Report**

<b>WACS Facility #:</b>	PBCC01	<b>Sampling Date:</b>	10/28/20 11:42
<b>WACS Test Site ID#:</b>	PBCC02	<b>Report Period:</b>	2020Q4
<b>Well Name:</b>	CTMW-11	<b>Well Purge (Y/N):</b>	Y
<b>GW Classification:</b>	G II	<b>Well Type:</b>	Background Intermediate
<b>GW Elevation:</b>	14.59		Compliance (X) Other

Parameter	Result	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
-----------	--------	-------	-----	-----	-----	--------	-----------	-------------	---------

**Total Recoverable Metals by EPA 200 Series Methods**

Chromium	2.40	ug/L	1	1.28	5.00	EPA 200.7/3010	10/29 08:00	10/29 11:33	IN
Copper	<1.01	ug/L	1	1.01	4.00	EPA 200.8	10/29 09:30	10/29 13:30	MAZ
Iron	1130	ug/L	1	2.36	10.0	EPA 200.7/3010	10/29 08:00	10/29 11:33	IN
Lead	<1.66	ug/L	1	1.66	10.0	EPA 200.7/3010	10/29 08:00	10/29 11:33	IN
Mercury	<0.0116	ug/L	1	0.0116	0.100	EPA 200.8	11/02 08:00	11/02 12:12	IN
Selenium	<4.39	ug/L	1	4.39	15.0	EPA 200.7/3010	10/29 08:00	10/29 11:33	IN
Sodium	15.9	mg/L	1	0.420	2.00	EPA 200.7/3010	10/29 08:00	10/29 11:33	IN

Florida-Spectrum Environmental Services, Inc.  
 1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory  
 528 Gooch Rd.  
 Fort Mead, FL 33841

Big Lake Laboratory  
 610 Parrot Ave. N.  
 Okeechobee, FL 34972

Lakeland Laboratory  
 111 Easton Dr.  
 Lakeland, FL 33803

Savannah Laboratory  
 108 Airport Park Dr.  
 Garden City, GA 31408



Central County Transfer Station MW's  
**Diameter (in):** 2  
**Depth to Water (ft):** 8.08  
**Top of casing (ft):** 22.15  
**Total Depth (ft):** 37.31

**Lab ID:** 20J0976-03  
**Sheen:**No  
**Color:**Slight Yellow  
**Odor:**No  
**Matrix:**Ground Water

### Parameter Monitoring Report

<b>WACS Facility #:</b> PBCC01	<b>Sampling Date:</b> 10/28/20 10:15
<b>WACS Test Site ID#:</b> PBCC03	<b>Report Period:</b> 2020Q4
<b>Well Name:</b> CTMW-2S	<b>Well Purge (Y/N):</b> Y
<b>GW Classification:</b> G II	<b>Well Type:</b> Background Intermediate
<b>GW Elevation:</b> 14.07	<b>Compliance (X)</b> Other

Parameter	Result	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
-----------	--------	-------	-----	-----	-----	--------	-----------	-------------	---------

#### Field Parameter (s) (See Notes and Definitions Page)

Specific Conductance (field)	432.00	uS/cm @ 25°C	1			FDEP SOP	10/28 10:15	10/28 10:15	REP.
pH (Field) at 25°C	7.03	pH Units	1			FDEP SOP	10/28 10:15	10/28 10:15	REP.
Temperature (field)	26.90	°C	1			FDEP SOP	10/28 10:15	10/28 10:15	REP.
Turbidity (Field)	1.54	NTU	1			FDEP SOP	10/28 10:15	10/28 10:15	REP.

#### Classical Chemistry Parameters

TRPH	<1.39	mg/L	1	1.39	4.18	EPA 1664A	10/29 10:00	10/29 19:00	AR
------	-------	------	---	------	------	-----------	-------------	-------------	----

#### Wet Chemistry

Total Alkalinity	90.8	mg/L	1	2.49	7.46	EPA 310.2	11/02 12:01	11/02 12:01	SA
Ammonia as N	<0.00620	mg/L	1	0.00620	0.0200	EPA 350.1	10/30 11:37	10/30 11:37	EP
Chloride	49.5	mg/L	1	0.140	0.419	EPA 300.0	10/29 18:30	10/30 02:35	OC
Chemical Oxygen Demand	21.6	mg/L	1	6.14	18.4	EPA 410.4	10/29 15:05	10/29 18:05	OC
Color	20/7.58	Pt-Co	1	5.00	15.0	SM 2120B	10/29 10:30	10/29 10:30	AR
MBAS as LAS, mol wt. 340	<0.0220	mg/L	1	0.0220	0.100	SM5540C	10/28 17:50	10/28 17:50	SA
Nitrate as N	<0.0278	mg/L	1	0.0278	0.0835	EPA 300.0	10/29 18:30	10/30 02:35	OC
Odor at 60°C	N.O.O.	T.O.N.	1	1.00	3.00	SM 2150B	10/28 18:00	10/28 18:00	SA
Sulfate	26.3	mg/L	1	0.133	0.399	EPA 300.0	10/29 18:30	10/30 02:35	OC
Sulfide	0.0220	mg/L	1	0.00620	0.0500	SM 4500-S D	11/02 15:00	11/02 15:00	AR
Total Dissolved Solids	238	mg/L	1	20.0	60.0	SM 2540C	10/30 09:42	11/02 11:29	LC
Total Kjeldahl Nitrogen	0.452	mg/L	1	0.184	0.552	EPA 351.2	10/29 14:00	10/29 19:56	EP

#### Total Recoverable Metals by EPA 200 Series Methods

Arsenic	<3.14	ug/L	1	3.14	10.0	EPA 200.7/3010	10/29 08:00	10/29 11:36	IN
Barium	12.4	ug/L	1	0.144	1.00	EPA 200.7/3010	10/29 08:00	10/29 11:36	IN
Cadmium	<0.175	ug/L	1	0.175	1.00	EPA 200.7/3010	10/29 08:00	10/29 11:36	IN

Florida-Spectrum Environmental Services, Inc.  
 1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory  
 528 Gooch Rd.  
 Fort Mead, FL 33841

Big Lake Laboratory  
 610 Parrot Ave. N.  
 Okeechobee, FL 34972

Lakeland Laboratory  
 111 Easton Dr.  
 Lakeland, FL 33803

Savannah Laboratory  
 108 Airport Park Dr.  
 Garden City, GA 31408



Central County Transfer Station MW's  
**Diameter (in):** 2.00  
**Depth to Water (ft):** 8.08  
**Top of casing (ft):** 22.15  
**Total Depth (ft):** 37.31

**Lab ID:** 20J0976-03  
**Sheen:**No  
**Color:**Slight Yellow  
**Odor:**No  
**Matrix:**Ground Water

**Parameter Monitoring Report**

<b>WACS Facility #:</b> PBCC01	<b>Sampling Date:</b> 10/28/20 10:15
<b>WACS Test Site ID#:</b> PBCC03	<b>Report Period:</b> 2020Q4
<b>Well Name:</b> CTMW-2S	<b>Well Purge (Y/N):</b> Y
<b>GW Classification:</b> G II	<b>Well Type:</b> Background Intermediate
<b>GW Elevation:</b> 14.07	<b>Compliance (X)</b> Other

Parameter	Result	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
-----------	--------	-------	-----	-----	-----	--------	-----------	-------------	---------

**Total Recoverable Metals by EPA 200 Series Methods**

Chromium	1.30	ug/L	1	1.28	5.00	EPA 200.7/3010	10/29 08:00	10/29 11:36	IN
Copper	<1.01	ug/L	1	1.01	4.00	EPA 200.8	10/29 09:30	10/29 13:33	MAZ
Iron	1180	ug/L	1	2.36	10.0	EPA 200.7/3010	10/29 08:00	10/29 11:36	IN
Lead	<1.66	ug/L	1	1.66	10.0	EPA 200.7/3010	10/29 08:00	10/29 11:36	IN
Mercury	<0.0116	ug/L	1	0.0116	0.100	EPA 200.8	11/02 08:00	11/02 12:14	IN
Selenium	<4.39	ug/L	1	4.39	15.0	EPA 200.7/3010	10/29 08:00	10/29 11:36	IN
Sodium	24.6	mg/L	1	0.420	2.00	EPA 200.7/3010	10/29 08:00	10/29 11:36	IN

Florida-Spectrum Environmental Services, Inc.  
 1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory  
 528 Gooch Rd.  
 Fort Mead, FL 33841

Big Lake Laboratory  
 610 Parrot Ave. N.  
 Okeechobee, FL 34972

Lakeland Laboratory  
 111 Easton Dr.  
 Lakeland, FL 33803

Savannah Laboratory  
 108 Airport Park Dr.  
 Garden City, GA 31408



Central County Transfer Station MW's  
**Diameter (in):** 2  
**Depth to Water (ft):** 7.98  
**Top of casing (ft):** 22.10  
**Total Depth (ft):** 72.65

**Lab ID:** 20J0976-04  
**Sheen:**No  
**Color:**Slight Yello  
**Odor:**No  
**Matrix:**Gronud Water

### Parameter Monitoring Report

<b>WACS Facility #:</b>	PBCC01	<b>Sampling Date:</b>	10/28/20 10:42
<b>WACS Test Site ID#:</b>	PBCC04	<b>Report Period:</b>	2020Q4
<b>Well Name:</b>	CTMW-2I	<b>Well Purge (Y/N):</b>	Y
<b>GW Classification:</b>	G II	<b>Well Type:</b>	Background Intermediate
<b>GW Elevation:</b>	14.12		Compliance (X) Other

Parameter	Result	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
-----------	--------	-------	-----	-----	-----	--------	-----------	-------------	---------

#### Field Parameter (s) (See Notes and Definitions Page)

Specific Conductance (field)	417	uS/cm @ 25°C	1			FDEP SOP	10/28 10:42	10/28 10:42	REP.
pH (Field) at 25°C	7.26	pH Units	1			FDEP SOP	10/28 10:42	10/28 10:42	REP.
Temperature (field)	26.0	°C	1			FDEP SOP	10/28 10:42	10/28 10:42	REP.
Turbidity (Field)	0.22	NTU	1			FDEP SOP	10/28 10:42	10/28 10:42	REP.

#### Classical Chemistry Parameters

TRPH	<1.39	mg/L	1	1.39	4.18	EPA 1664A	10/29 10:00	10/29 19:00	AR
------	-------	------	---	------	------	-----------	-------------	-------------	----

#### Wet Chemistry

Total Alkalinity	161	mg/L	1	2.49	7.46	EPA 310.2	11/02 12:01	11/02 12:01	SA
Ammonia as N	0.00902	mg/L	1	0.00620	0.0200	EPA 350.1	10/30 11:37	10/30 11:37	EP
Chloride	22.5	mg/L	1	0.140	0.419	EPA 300.0	10/29 18:30	10/30 02:52	OC
Chemical Oxygen Demand	12.0	mg/L	1	6.14	18.4	EPA 410.4	10/29 15:05	10/29 18:05	OC
Color	20/7.68	Pt-Co	1	5.00	15.0	SM 2120B	10/29 10:30	10/29 10:30	AR
MBAS as LAS, mol wt. 340	<0.0220	mg/L	1	0.0220	0.100	SM5540C	10/28 17:50	10/28 17:50	SA
Nitrate as N	0.0310	mg/L	1	0.0278	0.0835	EPA 300.0	10/29 18:30	10/30 02:52	OC
Odor at 60°C	N.O.O.	T.O.N.	1	1.00	3.00	SM 2150B	10/28 18:00	10/28 18:00	SA
Sulfate	7.07	mg/L	1	0.133	0.399	EPA 300.0	10/29 18:30	10/30 02:52	OC
Sulfide	0.0520	mg/L	1	0.00620	0.0500	SM 4500-S D	11/02 15:00	11/02 15:00	AR
Total Dissolved Solids	238	mg/L	1	20.0	60.0	SM 2540C	10/30 09:42	11/02 13:45	LC
Total Kjeldahl Nitrogen	0.604	mg/L	1	0.184	0.552	EPA 351.2	10/29 14:00	11/02 14:41	EP

#### Total Recoverable Metals by EPA 200 Series Methods

Arsenic	<3.14	ug/L	1	3.14	10.0	EPA 200.7/3010	10/29 08:00	10/29 11:38	IN
Barium	10.6	ug/L	1	0.144	1.00	EPA 200.7/3010	10/29 08:00	10/29 11:38	IN
Cadmium	<0.175	ug/L	1	0.175	1.00	EPA 200.7/3010	10/29 08:00	10/29 11:38	IN

Florida-Spectrum Environmental Services, Inc.  
 1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory  
 528 Gooch Rd.  
 Fort Mead, FL 33841

Big Lake Laboratory  
 610 Parrot Ave. N.  
 Okeechobee, FL 34972

Lakeland Laboratory  
 111 Easton Dr.  
 Lakeland, FL 33803

Savannah Laboratory  
 108 Airport Park Dr.  
 Garden City, GA 31408



Central County Transfer Station MW's  
**Diameter (in):** 2  
**Depth to Water (ft):** 7.98  
**Top of casing (ft):** 22.10  
**Total Depth (ft):** 72.65

**Lab ID:** 20J0976-04  
**Sheen:**No  
**Color:**Slight Yello  
**Odor:**No  
**Matrix:**Gronud Water

**Parameter Monitoring Report**

<b>WACS Facility #:</b>	PBCC01	<b>Sampling Date:</b>	10/28/20 10:42
<b>WACS Test Site ID#:</b>	PBCC04	<b>Report Period:</b>	2020Q4
<b>Well Name:</b>	CTMW-2I	<b>Well Purge (Y/N):</b>	Y
<b>GW Classification:</b>	G II	<b>Well Type:</b>	Background Intermediate
<b>GW Elevation:</b>	14.12		Compliance (X) Other

Parameter	Result	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
-----------	--------	-------	-----	-----	-----	--------	-----------	-------------	---------

**Total Recoverable Metals by EPA 200 Series Methods**

Chromium	<1.28	ug/L	1	1.28	5.00	EPA 200.7/3010	10/29 08:00	10/29 11:38	IN
Copper	<1.01	ug/L	1	1.01	4.00	EPA 200.8	10/29 09:30	10/29 13:36	MAZ
Iron	783	ug/L	1	2.36	10.0	EPA 200.7/3010	10/29 08:00	10/29 11:38	IN
Lead	<1.66	ug/L	1	1.66	10.0	EPA 200.7/3010	10/29 08:00	10/29 11:38	IN
Mercury	<0.0116	ug/L	1	0.0116	0.100	EPA 200.8	11/02 08:00	11/02 12:16	IN
Selenium	<4.39	ug/L	1	4.39	15.0	EPA 200.7/3010	10/29 08:00	10/29 11:38	IN
Sodium	13.4	mg/L	1	0.420	2.00	EPA 200.7/3010	10/29 08:00	10/29 11:38	IN

Florida-Spectrum Environmental Services, Inc.  
 1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory  
 528 Gooch Rd.  
 Fort Mead, FL 33841

Big Lake Laboratory  
 610 Parrot Ave. N.  
 Okeechobee, FL 34972

Lakeland Laboratory  
 111 Easton Dr.  
 Lakeland, FL 33803

Savannah Laboratory  
 108 Airport Park Dr.  
 Garden City, GA 31408





Central County Transfer Station MW's  
**Diameter (in):**  
**Depth to Water (ft):**  
**Top of casing (ft):**  
**Total Depth (ft):**

**Lab ID:** 20J0976-05  
**Sheen:**  
**Color:**  
**Odor:**  
**Matrix:**DI Water

**Parameter Monitoring Report**

<b>WACS Facility #:</b>		<b>Sampling Date:</b>	10/19/20 15:30
<b>WACS Test Site ID#:</b>		<b>Report Period:</b>	2020Q4
<b>Well Name:</b>	Metal Trip Blank	<b>Well Purge (Y/N):</b>	
<b>GW Classification:</b>		<b>Well Type:</b>	Background Intermediate Compliance Other (X)
<b>GW Elevation:</b>			

Parameter	Result	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
-----------	--------	-------	-----	-----	-----	--------	-----------	-------------	---------

**Total Recoverable Metals by EPA 200 Series Methods**

Arsenic	<3.14	ug/L	1	3.14	10.0	EPA 200.7/3010	10/29 08:00	10/29 11:41	IN
Barium	<0.144	ug/L	1	0.144	1.00	EPA 200.7/3010	10/29 08:00	10/29 11:41	IN
Cadmium	<0.175	ug/L	1	0.175	1.00	EPA 200.7/3010	10/29 08:00	10/29 11:41	IN
Chromium	<1.28	ug/L	1	1.28	5.00	EPA 200.7/3010	10/29 08:00	10/29 11:41	IN
Copper	<1.01	ug/L	1	1.01	4.00	EPA 200.8	10/29 09:30	10/29 13:56	MAZ
Iron	<2.36	ug/L	1	2.36	10.0	EPA 200.7/3010	10/29 08:00	10/29 11:41	IN
Lead	<1.66	ug/L	1	1.66	10.0	EPA 200.7/3010	10/29 08:00	10/29 11:41	IN
Mercury	<0.0116	ug/L	1	0.0116	0.100	EPA 200.8	11/02 08:00	11/02 12:53	IN
Selenium	<4.39	ug/L	1	4.39	15.0	EPA 200.7/3010	10/29 08:00	10/29 11:41	IN
Sodium	<0.420	mg/L	1	0.420	2.00	EPA 200.7/3010	10/29 08:00	10/29 11:41	IN

Florida-Spectrum Environmental Services, Inc.  
 1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory  
 528 Gooch Rd.  
 Fort Mead, FL 33841

Big Lake Laboratory  
 610 Parrot Ave. N.  
 Okeechobee, FL 34972

Lakeland Laboratory  
 111 Easton Dr.  
 Lakeland, FL 33803


Savannah Laboratory  
 108 Airport Park Dr.  
 Garden City, GA 31408

### Notes and Definitions

U	Indicated that the compound was analyzed for but not detected. This shall be used to indicate that the specific component was not detected. The value associated with the qualifier shall be the laboratory method detection limit.
J3	The matrix spike recovery outside method acceptance limits indicating matrix interference.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the detection limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
N.O.O.	No Odor Observed
REP	Field parameter measured by client
V	Indicated that the analyte was detected in both the sample and the associated method blank.
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z	Too many colonies were present for accurate counting.
SUB	Work performed by outside (subcontracted) labs denoted by SUB in analyst field.

QC=Qualifier Codes as defined by DEP 62-160  
 Unless indicated, soil results are reported on actual (wet) weight basis.  
 The Color SM2120B method is reported as (Color / pH)  
 Legionella analyzed under CDC accreditation program  
 Field parameters are not NELAP accredited.  
 Results relate only to this sample.

Suresh (Bobby) Supan - CSM



Authorized CSM Signature (954) 978-6400  
 Florida-Spectrum Environmental Services, Inc.  
 Certification# E86006

All NELAP certified analysis are performed in accordance with Chapter 64E-1 Florida Administrative code, which has been determined to be equivalent to NELAC standards. Analysis certified by programs other than NELAP are designated with a "~".

Florida-Spectrum Environmental Services, Inc.  
 1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory  
 528 Gooch Rd.  
 Fort Mead, FL 33841

Big Lake Laboratory  
 610 Parrot Ave. N.  
 Okeechobee, FL 34972

Lakeland Laboratory  
 111 Easton Dr.  
 Lakeland, FL 33803

Savannah Laboratory  
 108 Airport Park Dr.  
 Garden City, GA 31408

**WORK ORDER #**  
20200976

Logged in LIMS by *[Signature]*  
Meets Acceptance Criteria: *Y*

**CHAIN OF CUSTODY RECORD**  
SWA013

Tel: (954) 978-6400  
Tel: (912) 238-5050  
Tel: (863) 285-8145  
Tel: (863) 763-3336  
Tel: (863) 686-4271

Fax: (954) 978-2233  
Fax: (912) 234-4815  
Fax: (863) 285-7030  
Fax: (863) 763-1544  
Fax: (863) 686-4389

**Florida Spectrum**  
Environmental Services, Inc.

Doc. Ctr: 040119-003  
Date: 8/15/19 Rev. 2

**DUE DATE REQUESTED:**  
RUSH RESERVATION #

*Rush. Surcharges apply*

**Original-Return w/report**  
Yellow-Lab File Copy  
Pink - Sampler Copy

**Report to:**  
(Company Name) SWA

**Invoice #** 501 N. Jog Road, WPB, FL 33412  
(Company Name) Order #

**Project:** Managing Hydrogeologist CENTRAL COUNTY TRANSPIRATION STATION MONITORING WELLS

**Contract #:** 561 640-4000  
**Project #:** 561 640-3400

**Sample Name:** BIL REBERS MARY ALVAREZ  
(printed) Affiliation:

ORDER #	Sample ID	Date Sampled	Time Sampled	Matrix	Bottle & Pres.	Number of Containers Received & NELAC Letter Suffixes A-?	Field Tests
01	CTMW-1S	10-28-20	11:14	GW	AW-L4 620W KES04B	6	TEMP °C PH COND CHLOR
02	CTMW-1I	10-28-20	11:42	GW	✓	6	
03	CTMW-2S	10-28-20	10:15	GW	✓	6	
04	CTMW-2I	10-28-20	10:42	GW	✓	6	
05	METAL TRIP BLANK	10/28/20	1530	DI	JH	1	
						Total	

**Analysis Required**

See page 3  
Letter of: 9/30/2020

**Sampler Signature:** Bill Rebers *[Signature]*  
**Relinquished by:** MONY ALVAREZ 10-28-20 14:23  
**Received by:** *[Signature]* 10-28-20 14:23

**Relinquished by:** *[Signature]* 10-28-20 17:00  
**Received by:** *[Signature]*

**Relinquished by:** *[Signature]*  
**Received by:** *[Signature]*

**Relinquished by:** *[Signature]*  
**Received by:** *[Signature]*

**Relinquished by:** *[Signature]*  
**Received by:** *[Signature]*

**Special Comments:**  
COOLER 009  
"I waive TNI protocol" (emergency) (sign here) >

**Deliverables:**  
QA/QC Report Needed? Yes No (additional charge)

**Sample Custody & Field Comments**  
Received on Ice: *Y*  
As received: *Y*  
Seals: *Y* GUN-1  
FIELD TIME  
ing \_\_\_\_\_ hrs Pick Up \_\_\_\_\_ hrs  
Charges \_\_\_\_\_

**Preservatives:**  
A-ascorbic acid  
C-HCl  
Cu-CuSO4  
DI-DI water  
H-HNO3  
M-MCAB  
MeOH-Methanol  
Z-zinc acetate

**Additional Preservatives:**  
Hex-Hex Cr Buffer  
EDA-Ethylene Diamine

**Additional Preservatives:**  
P-H3PO4  
S-H2SO4  
T-Na2S2O3  
U-Unpreserved  
N-NaOH  
NH4-NH4CL  
Y-Sterile

2050976

**CENTRAL COUNTY TRANSFER STATION MONITORING WELLS**

**SWA PERMIT # C.O.A. F.5.E. I & II**

8 Monitoring Wells: CTMW-1S, CTMW-1I, CTMW-2S, CTMW-2I,  
CTMW-3S, CTMW-3I, CTMW-4S, CTMW-4I

1 Field Duplicate (CTSF D-)

1 Field Blank (CTSF Blank-)

**Parameters (Matrix: Ground Water)**

**A. Metals**

Arsenic	Chromium	Lead	Sodium
Barium	Copper	Mercury	Selenium
Cadmium	Iron		

**B. Indicator Parameters**

Total Ammonia	Foaming Agents (MBAS)	Nitrate
Total Alkalinity	Sulfide	Odor
COD	TKN	Sulfate
Color	TDS	
Chloride	TRPH (Total Recoverable Petroleum Hydrocarbons)	

**C. Field Parameters**

Conductivity (field)	pH (field)
Temperature (field)	Turbidity (field)

**D. Well Information (field)**

Well Diameter	Well Depth
Well Casing Elevation	Depth to Water
Water Table Elevation	Volume Evacuated

2 of 2 coc # SWA013

## Solid Waste Authority of Palm Beach County GROUNDWATER SAMPLING LOG

SITE NAME: <b>Central County Transfer Station</b>		WACS Facility ID: <b>PBCC01</b> WACS Test Site ID: <b>PBCC01</b>	DATE: <b>10-28-2020</b>
WELL NO: <b>CTMW-1S</b>	Well Type: <b>Compliance</b>	Well Location: North of retention Pond	SITE <b>1810 Lantana Road,</b> LOCATION: <b>Lantana, FI</b>

### PURGING DATA

Top of Casing Elevation(ft): <b>22.27</b>	Static Depth To Water (ft): <b>6.68</b>	Water Table Elevation NGVD (ft): <b>15.59</b>	Column Height (ft): <b>29.92</b>	Total Well Depth (ft): <b>36.60'</b>					
WELLDIAMETER (in): <b>2" PVC</b>	1 WELL VOLUME (gal) = (TOTAL WELL DEPTH - DEPTH TO WATER) X WELL CAPACITY = <b>3 x 5</b>								
WELL CAPACITY (gal/ft): <b>0.16</b>	= ( <b>36.60 - 6.68 = 29.92</b> ) X <b>0.16 = 4.79</b>			<b>GALLONS 5</b>					
PURGE METHOD: <b>Redi-flo</b>		PURGE INITIATED AT: <b>10:52</b>	PURGE ENDED AT: <b>11:13</b>	TOTAL VOL. PURGED (gal): <b>20</b>					
WELL VOLS. Purged	Volume Purged (gal)	CUMUL. VOL. Purged (gal)	PURGE RATE (gpm)	DEPTH TO WATER (ft)	pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)
1	5	5	.96	7.88	6.82	27.5	194	0.70	3.09
1	5	10		7.88	6.92	27.5	201	0.29	3.36
1	5	15		7.88	7.01	27.5	205	0.15	1.61
1	5	20		7.88	7.03	27.5	206	0.10	1.02
<b>FINAL FIELD VALUES →</b>				ORP	pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)
					7.03	27.5	206		1.02
Color: <b>3 LITERS YELLOW</b>	Odor: <b>NO</b>	Sheen: <b>NO</b>	Comments						
WELL CAPACITY (Gallons per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88									

### SAMPLING DATA

SAMPLING METHOD(S): <b>Redi-flo Pump</b>	SAMPLING INITIATED AT: <b>11:14</b>	SAMPLING ENDED AT: <b>11:18</b>	Weather: <b>SUNNY + HOT</b>			
FIELD DECONTAMINATION: <b>No</b>	FIELD-FILTERED: <b>No</b>	DUPLICATE: <b>Y</b> <b>(N)</b>				
SAMPLE CONTAINER SPECIFICATION		SAMPLE PRESERVATION			INTENDED ANALYSIS AND/OR METHOD	
NO.	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOLUME ADDED IN FIELD (mL)		FINAL pH
1	HDPE	1-LITER	HNO3			< 2
2	HDPE		H2SO4			Ammonia
MATERIAL CODES: AG = AMBER GLASS; CG = CLEAR GLASS; HDPE = HIGH DENSITY POLYETHYLENE; O = OTHER (SPECIFY)						
SAMPLED BY (PRINT) <b>Bill Rogers Manny Alvarez</b>			SAMPLER(S) SIGNATURE(S) <b>Bill Rogers</b>			

## Solid Waste Authority of Palm Beach County GROUNDWATER SAMPLING LOG

SITE NAME: <b>Central County Transfer Station</b>		WACS Facility ID: <b>PBCC01</b> WACS Test Site ID: <b>PBCC02</b>	DATE: <b>10-28-2020</b>
WELL NO: <b>CTMW-1I</b>	Well Type: <b>Compliance</b>	Well Location: North of retention Pond	SITE <b>1810 Lantana Road,</b> LOCATION: <b>Lantana, FI</b>

### PURGING DATA

Top of Casing Elevation(ft): <b>22.31</b>	Static Depth To Water (ft): <b>7.72</b>	Water Table Elevation NGVD (ft): <b>14.59</b>	Column Height (ft): <b>61.58</b>	Total Well Depth (ft): <b>69.30'</b>					
WELLDIAMETER (in): <b>2" PVC</b>		1 WELL VOLUME (gal) = (TOTAL WELL DEPTH - DEPTH TO WATER) X WELL CAPACITY = <b>3x10</b>							
WELL CAPACITY (gal/ft): <b>0.16</b>		= ( <b>69.30 - 7.72 = 61.58</b> ) X <b>0.16</b> = <b>9.85</b> GALLONS/0							
PURGE METHOD: <b>Redi-flo</b>		PURGE INITIATED AT: <b>11:18</b>	PURGE ENDED AT: <b>11:41</b>	TOTAL VOL. PURGED (gal): <b>30</b>					
WELL VOLS. Purged	Volume Purged (gal)	CUMUL. VOL. Purged (gal)	PURGE RATE (gpm)	DEPTH TO WATER (ft)	pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)
1	10	10	1.31	8.20	7.00	27.7	523	0.79	4.21
1	10	20		8.20	7.01	27.7	524	0.18	2.51
1	10	30		8.20	7.01	27.7	524	0.12	1.02
<b>FINAL FIELD VALUES →</b>				ORP	pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)
					7.01	27.7	524		1.02
Color: <b>SLIGHT YELLOW</b>	Odor: <b>NO</b>	Sheen: <b>NO</b>	Comments						
WELL CAPACITY (Gallons per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88									

### SAMPLING DATA

SAMPLING METHOD(S): <b>Redi-flo Pump</b>	SAMPLING INITIATED AT: <b>11:42</b>	SAMPLING ENDED AT: <b>11:46</b>	Weather: <b>SUNNY v HOT</b>		
FIELD DECONTAMINATION: <b>No</b>	FIELD-FILTERED: <b>No</b>	DUPLICATE: <b>Y</b> <input checked="" type="radio"/> <b>(N)</b>			
SAMPLE CONTAINER SPECIFICATION		SAMPLE PRESERVATION		INTENDED ANALYSIS AND/OR METHOD	
NO.	MATERIAL CODE	VOLUME	PRESERVATIVE USED		
			TOTAL VOLUME ADDED IN FIELD (mL)		
1	HDPE	1-LITER	HNO3	< 2	Metals
2	HDPE		H2SO4		Ammonia
MATERIAL CODES: AG = AMBER GLASS; CG = CLEAR GLASS; HDPE = HIGH DENSITY POLYETHYLENE; O = OTHER (SPECIFY)					
SAMPLED BY (PRINT) <b>Bill Rogers Manny Alvarez</b>			SAMPLER(S) SIGNATURE(S) <b>Bill Rogers</b>		

## Solid Waste Authority of Palm Beach County GROUNDWATER SAMPLING LOG

SITE NAME: <b>Central County Transfer Station</b>		WACS Facility ID: <b>PBCC01</b> WACS Test Site ID: <b>PBCC03</b>	DATE: <b>10-28-2020</b>
WELL NO: <b>CTMW- 2S</b>	Well Type: <b>Compliance</b>	Well Location: <b>West of retention Pond</b>	SITE LOCATION: <b>1810 Lantana Road, Lantana, FL</b>

### PURGING DATA

Top of Casing Elevation(ft): <b>22.15</b>	Static Depth To Water (ft): <b>8.08</b>	Water Table Elevation NGVD (ft): <b>14.07</b>	Column Height (ft): <b>29.23</b>	Total Well Depth (ft): <b>37.31'</b>					
WELLDIAMETER (in): <b>2" PVC</b>	1 WELL VOLUME (gal) = (TOTAL WELL DEPTH - DEPTH TO WATER) X WELL CAPACITY = <b>3 x 5</b>								
WELL CAPACITY (gal/ft): <b>0.16</b>	= ( <b>37.31 - 8.08 = 29.23</b> ) X <b>0.16</b> = <b>4.68</b> GALLONS								
PURGE METHOD: <b>Redi-flo</b>		PURGE INITIATED AT: <b>9:49</b>	PURGE ENDED AT: <b>10:14</b>	TOTAL VOL. PURGED (gal): <b>20</b>					
WELL VOLS. Purged	Volume Purged (gal)	CUMUL. VOL. Purged (gal)	PURGE RATE (gpm)	DEPTH TO WATER (ft)	pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)
1	5	5	.80	8.25	6.51	26.9	426	0.95	11.1
1	5	10		8.25	6.86	26.9	432	0.62	6.33
1	5	15		8.25	7.00	26.9	433	0.40	2.46
1	5	20		8.25	7.03	26.9	432	0.39	1.54
FINAL FIELD VALUES →				ORP	pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)
					7.03	26.9	432		1.54
Color: <b>SLIGHT Yellow</b>	Odor: <b>NO</b>	Sheen: <b>NO</b>	Comments						
WELL CAPACITY (Gallons per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88									

### SAMPLING DATA

SAMPLING METHOD(S): <b>Redi-flo Pump</b>	SAMPLING INITIATED AT: <b>10:15</b>	SAMPLING ENDED AT: <b>10:19</b>	Weather: <b>SUNNY &amp; WARM</b>			
FIELD DECONTAMINATION: <b>No</b>	FIELD-FILTERED: <b>No</b>	DUPLICATE: <b>Y</b> <input checked="" type="radio"/> <b>N</b>				
SAMPLE CONTAINER SPECIFICATION		SAMPLE PRESERVATION			INTENDED ANALYSIS AND/OR METHOD	
NO.	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOLUME ADDED IN FIELD (mL)		FINAL pH
1	HDPE	1- LITER	HNO3		←2	Metals
2	HDPE		H2SO4			Ammonia
MATERIAL CODES: AG = AMBER GLASS; CG = CLEAR GLASS; HDPE = HIGH DENSITY POLYETHYLENE; O = OTHER (SPECIFY)						
SAMPLED BY (PRINT) <b>Bill Rogers MANNY Acvarez</b>				SAMPLER(S) SIGNATURE(S) <b>Bill Rogers Malch</b>		

## Solid Waste Authority of Palm Beach County GROUNDWATER SAMPLING LOG

SITE NAME: <b>Central County Transfer Station</b>		WACS Facility ID: <b>PBCC01</b> WACS Test Site ID: <b>PBCC04</b>	DATE: <b>10-28-2020</b>
WELL NO: <b>CTMW-2I</b>	Well Type: <b>Compliance</b>	Well Location: West of retention Pond	SITE <b>1810 Lantana Road,</b> LOCATION: <b>Lantana, FI</b>

### PURGING DATA

Top of Casing Elevation(ft): <b>22.10</b>	Static Depth To Water (ft): <b>7.98</b>	Water Table Elevation NGVD (ft): <b>14.12</b>	Column Height (ft): <b>64.67</b>	Total Well Depth (ft): <b>72.65'</b>					
WELLDIAMETER (in): <b>2" PVC</b>	1 WELL VOLUME (gal) = (TOTAL WELL DEPTH - DEPTH TO WATER) X WELL CAPACITY = <b>3 x 11</b>								
WELL CAPACITY (gal/ft): <b>0.16</b>	= ( <b>72.65 - 7.98 = 64.67</b> ) X <b>0.16 = 10.35</b> <span style="float: right;"><b>GALLONS 11</b></span>								
PURGE METHOD: <b>Redi-flo</b>		PURGE INITIATED AT: <b>10:18</b>	PURGE ENDED AT: <b>10:41</b>	TOTAL VOL. PURGED (gal): <b>33</b>					
WELL VOLS. Purged	Volume Purged (gal)	CUMUL. VOL. Purged (gal)	PURGE RATE (gpm)	DEPTH TO WATER (ft)	pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)
1	11	11	1.44	8.27	7.21	26.0	416	0.19	0.59
1	11	22		8.27	7.24	26.0	416	0.09	0.30
1	11	33		8.27	7.26	26.0	417	0.07	0.22
<b>FINAL FIELD VALUES →</b>				ORP	pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)
					7.26	26.0	417		0.22
Color: <b>SLIGHT YELLOW</b>	Odor: <b>NO</b>	Sheen: <b>NO</b>	Comments						
WELL CAPACITY (Gallons per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88									

### SAMPLING DATA

SAMPLING METHOD(S): <b>Redi-flo Pump</b>	SAMPLING INITIATED AT: <b>10:42</b>	SAMPLING ENDED AT: <b>10:46</b>	Weather: <b>SUNNY + WARM</b>			
FIELD DECONTAMINATION: <b>No</b>	FIELD-FILTERED: <b>No</b>	DUPLICATE: <b>Y</b> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">N</span>				
SAMPLE CONTAINER SPECIFICATION		SAMPLE PRESERVATION		INTENDED ANALYSIS AND/OR METHOD		
NO.	MATERIAL CODE	VOLUME	PRESERVATIVE USED		TOTAL VOLUME ADDED IN FIELD (mL)	FINAL pH
1	HDPE	1- LITER	HNO3			< 2
2	HDPE		H2SO4			
MATERIAL CODES: AG = AMBER GLASS; CG = CLEAR GLASS; HDPE = HIGH DENSITY POLYETHYLENE; O = OTHER (SPECIFY)						
SAMPLED BY (PRINT) <b>Bill Rogers Manny Acvaroz</b>			SAMPLER(S) SIGNATURE(S) <b>Bill Rogers</b> <i>Muller</i>			