



NELAP Certificate No. E86006



1460 West McNab Road
Fort Lauderdale, FL 33309
1-800-ANALYTE Phone
(954) 978-6400 Phone
(954) 978-2233 Fax

RECEIVED
DEC 1, 2021

Ground Water Monitoring Report

Solid Waste Authority - Palm Beach County
Hydrogeologist
7501 North Jog Road
West Palm Beach, FL 33412

Date Received: 11/03/2021 15:30
Date Reported: 12/01/2021 15:26
Report Period: 2021Q4

Project Name: Central County Transfer Station Surface Water
Lab Work Order (COC): 21K0167

Laboratory Sample #

21K0167-01
21K0167-02
21K0167-03

Client Sample #

CTSSE Blank 110321
CTSW-1
Metal Trip Blank 11321



Central County Transfer Station Surface Water

Lab ID: 21K0167-01

Diameter (in):

Sheen: No

Depth to Water (ft):

Color: Clear

Top of Casing (ft):

Odor: No

Total Depth (ft):

Matrix: DI

Parameter Monitoring Report

WACS Facility ID #:	PBCC01	Sampling Date/Time:	11/03/21 09:30
WACS Test Site ID#:	N/A	Report Period:	2021Q4
Well Name:	CTSSE Blank 110321	Well Purge (Y/N):	
GW Classification:	N/A	Well Type:	Background Compliance
GW Elevation (NGVD):		Intermediate	Other (X)

Storet Code	Parameter	Sample Method Grab/Comp	Field Filter Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units MDL	PQL	Dil Factor
-------------	-----------	----------------------------	---------------------	-----------------	--------------------	------------------------	-------------------------------	-----	------------

Field Parameter (s) (See Notes and Definitions Page)

00402	Specific Conductance (field)	GRAB	N	FDEP SOP	11/03/2021 09:30	28.5 uS/cm @ 25°C	uS/cm @ 25°C		1
00406	pH (Field) at 25°C	GRAB	N	FDEP SOP	11/03/2021 09:30	6.61 pH Units	pH Units		1
	Temperature (field)	GRAB	N	FDEP SOP	11/03/2021 09:30	24.3 °C	°C		1
	Turbidity (Field)	GRAB	N	FDEP SOP	11/03/2021 09:30	0.13 NTU	NTU		1

Classical Chemistry Parameters

	Oil & Grease (HEM)	GRAB	N	EPA 1664A	11/11/2021 13:00	<1.30 mg/L	1.30	3.90 mg/L	1
	TRPH	GRAB	N	EPA 1664A	11/17/2021 10:00	<1.39 mg/L	1.39	4.18 mg/L	1

Wet Chemistry

	Total Alkalinity	GRAB	N	EPA 310.2	11/04/2021 13:43	<2.49 mg/L	2.49	7.46 mg/L	1
00151	Ammonia as N	GRAB	N	EPA 350.1	11/04/2021 13:26	<0.00620 mg/L	0.00620	0.0200 mg/L	1
00940	Chloride	GRAB	N	EPA 300.0	11/30/2021 14:37	<0.126 mg/L	0.126	0.500 mg/L	1
	Chemical Oxygen Demand	GRAB	N	EPA 410.4	11/06/2021 16:25	<2.54 mg/L	2.54	10.0 mg/L	1
	MBAS as LAS, mol wt. 340	GRAB	N	SM5540C	11/05/2021 07:25	<0.0220 mg/L	0.0220	0.100 mg/L	1
71851	Nitrate as N	GRAB	N	EPA 300.0	11/03/2021 23:02	<0.00720 mg/L	0.00720	0.0750 mg/L	1
00945	Sulfate	GRAB	N	EPA 300.0	11/03/2021 23:02	<0.0953 mg/L	0.0953	0.500 mg/L	1
00134	Total Dissolved Solids	GRAB	N	SM 2540C	11/09/2021 11:30	<10.0 mg/L	10.0	30.0 mg/L	1
81393	Total Kjeldahl Nitrogen	GRAB	N	EPA 351.2	11/05/2021 15:04	<0.184 mg/L	0.184	0.552 mg/L	1

Total Recoverable Metals by EPA 200 Series Methods

01027	Cadmium	GRAB	N	EPA 200.8	11/08/2021 11:24	<0.0299 ug/L	0.0299	0.200 ug/L	1
01042	Copper	GRAB	N	EPA 200.8	11/08/2021 11:24	<1.01 ug/L	1.01	4.00 ug/L	1
71900	Mercury	GRAB	N	EPA 200.8	11/08/2021 14:33	<0.0116 ug/L	0.0116	0.100 ug/L	1

Metals by EPA 6000/7000 Series Methods

01002	Arsenic	GRAB	N	EPA 6010/3010	11/04/2021 12:32	<2.21 ug/L	2.21	10.0 ug/L	1
01007	Barium	GRAB	N	EPA 6010/3010	11/04/2021 12:32	<0.0728 ug/L	0.0728	1.00 ug/L	1
01034	Chromium	GRAB	N	EPA 6010/3010	11/04/2021 12:32	<0.339 ug/L	0.339	5.00 ug/L	1
01045	Iron	GRAB	N	EPA 6010/3010	11/04/2021 12:32	<1.09 ug/L	1.09	10.0 ug/L	1
01051	Lead	GRAB	N	EPA 6010/3010	11/04/2021 12:32	<1.19 ug/L	1.19	10.0 ug/L	1
01147	Selenium	GRAB	N	EPA 6010/3010	11/04/2021 12:32	<3.46 ug/L	3.46	15.0 ug/L	1
00934	Sodium	GRAB	N	EPA 6010/3010	11/04/2021 12:32	<0.446 mg/L	0.446	2.00 mg/L	1



Central County Transfer Station Surface Water

Lab ID: 21K0167-02
Sheen: No
Color: Light Yellow
Odor: No
Matrix: Surface Water

Diameter (in):
Depth to Water (ft):
Top of Casing (ft):
Total Depth (ft):

Parameter Monitoring Report

WACS Facility ID #: PBCC01 **Sampling Date/Time:** 11/03/21 09:55
WACS Test Site ID#: PBCC09 **Report Period:** 2021Q4
Well Name: CTSW-1 **Well Purge (Y/N):**
GW Classification: SW-IIIF **Well Type:** Background Compliance
GW Elevation (NGVD): Intermediate Other (X)

Storet Code	Parameter	Sample Method Grab/Comp	Field Filter Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units MDL	PQL	Dil Factor
-------------	-----------	----------------------------	---------------------	-----------------	--------------------	------------------------	-------------------------------	-----	------------

Field Parameter (s) (See Notes and Definitions Page)

00402	Specific Conductance (field)	GRAB	N	FDEP SOP	11/03/2021 09:55	317 uS/cm @ 25°C	uS/cm @ 25°C		1
00406	pH (Field) at 25°C	GRAB	N	FDEP SOP	11/03/2021 09:55	8.72 pH Units	pH Units		1
	Temperature (field)	GRAB	N	FDEP SOP	11/03/2021 09:55	25.0 °C	°C		1
	Turbidity (Field)	GRAB	N	FDEP SOP	11/03/2021 09:55	5.66 NTU	NTU		1

Classical Chemistry Parameters

	Oil & Grease (HEM)	GRAB	N	EPA 1664A	11/11/2021 13:00	<1.30 mg/L	1.30	3.90 mg/L	1
	TRPH	GRAB	N	EPA 1664A	11/17/2021 10:00	<1.39 mg/L	1.39	4.18 mg/L	1

Wet Chemistry

	Total Alkalinity	GRAB	N	EPA 310.2	11/04/2021 13:43	<2.49 mg/L	2.49	7.46 mg/L	1
00151	Ammonia as N	GRAB	N	EPA 350.1	11/04/2021 13:26	<0.00620 mg/L	0.00620	0.0200 mg/L	1
00940	Chloride	GRAB	N	EPA 300.0	11/05/2021 01:44	27.1 mg/L	0.126	0.500 mg/L	1
	Chemical Oxygen Demand	GRAB	N	EPA 410.4	11/06/2021 16:25	42.3 mg/L	2.54	10.0 mg/L	1
	MBAS as LAS, mol wt. 340	GRAB	N	SM5540C	11/05/2021 07:25	<0.0220 mg/L	0.0220	0.100 mg/L	1
71851	Nitrate as N	GRAB	N	EPA 300.0	11/03/2021 23:18	<0.00720 mg/L	0.00720	0.0750 mg/L	1
00945	Sulfate	GRAB	N	EPA 300.0	11/03/2021 23:18	10.0 mg/L	0.0953	0.500 mg/L	1
00134	Total Dissolved Solids	GRAB	N	SM 2540C	11/09/2021 11:30	180 mg/L	20.0	60.0 mg/L	2
81393	Total Kjeldahl Nitrogen	GRAB	N	EPA 351.2	11/05/2021 15:04	1.31 mg/L	0.184	0.552 mg/L	1

Total Recoverable Metals by EPA 200 Series Methods

01027	Cadmium	GRAB	N	EPA 200.8	11/08/2021 11:29	<0.0299 ug/L	0.0299	0.200 ug/L	1
01042	Copper	GRAB	N	EPA 200.8	11/08/2021 11:29	7.73 ug/L	1.01	4.00 ug/L	1
71900	Mercury	GRAB	N	EPA 200.8	11/08/2021 14:35	<0.0116 ug/L	0.0116	0.100 ug/L	1

Metals by EPA 6000/7000 Series Methods

01002	Arsenic	GRAB	N	EPA 6010/3010	11/04/2021 12:35	<2.21 ug/L	2.21	10.0 ug/L	1
01007	Barium	GRAB	N	EPA 6010/3010	11/04/2021 12:35	12.7 ug/L	0.0728	1.00 ug/L	1
01034	Chromium	GRAB	N	EPA 6010/3010	11/04/2021 12:35	0.700 ug/L I	0.339	5.00 ug/L	1
01045	Iron	GRAB	N	EPA 6010/3010	11/04/2021 12:35	27.8 ug/L	1.09	10.0 ug/L	1
01051	Lead	GRAB	N	EPA 6010/3010	11/04/2021 12:35	<1.19 ug/L	1.19	10.0 ug/L	1
01147	Selenium	GRAB	N	EPA 6010/3010	11/04/2021 12:35	<3.46 ug/L	3.46	15.0 ug/L	1
00934	Sodium	GRAB	N	EPA 6010/3010	11/04/2021 12:35	13.5 mg/L	0.446	2.00 mg/L	1



Central County Transfer Station Surface Water

Lab ID: 21K0167-03

Diameter (in):

Sheen:

Depth to Water (ft):

Color:

Top of Casing (ft):

Odor:

Total Depth (ft):

Matrix: DI

Parameter Monitoring Report

WACS Facility ID #:

Sampling Date/Time: 11/03/21 09:55

WACS Test Site ID#:

Report Period: 2021Q4

Well Name: Metal Trip Blank 11321

Well Purge (Y/N):

GW Classification:

Well Type: Background

Compliance

GW Elevation (NGVD):

Intermediate

Other

(X)

Storet Code	Parameter	Sample Method Grab/Comp	Field Filter Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		
							MDL	PQL	Dil Factor

Total Recoverable Metals by EPA 200 Series Methods

01027	Cadmium	GRAB		EPA 200.8	11/08/2021 11:33	<0.0299 ug/L	0.0299	0.200 ug/L	1
01042	Copper	GRAB		EPA 200.8	11/08/2021 11:33	<1.01 ug/L	1.01	4.00 ug/L	1
71900	Mercury	GRAB		EPA 200.8	11/08/2021 14:37	<0.0116 ug/L	0.0116	0.100 ug/L	1

Metals by EPA 6000/7000 Series Methods

01002	Arsenic	GRAB		EPA 6010/3010	11/04/2021 12:38	<2.21 ug/L	2.21	10.0 ug/L	1
01007	Barium	GRAB		EPA 6010/3010	11/04/2021 12:38	<0.0728 ug/L	0.0728	1.00 ug/L	1
01034	Chromium	GRAB		EPA 6010/3010	11/04/2021 12:38	<0.339 ug/L	0.339	5.00 ug/L	1
01045	Iron	GRAB		EPA 6010/3010	11/04/2021 12:38	<1.09 ug/L	1.09	10.0 ug/L	1
01051	Lead	GRAB		EPA 6010/3010	11/04/2021 12:38	<1.19 ug/L	1.19	10.0 ug/L	1
01147	Selenium	GRAB		EPA 6010/3010	11/04/2021 12:38	<3.46 ug/L	3.46	15.0 ug/L	1
00934	Sodium	GRAB		EPA 6010/3010	11/04/2021 12:38	<0.446 mg/L	0.446	2.00 mg/L	1

Notes and Definitions

U	Indicated that the compound was analyzed for but not detected. This shall be used to indicate that the specific component was not detected. The value associated with the qualifier shall be the laboratory method detection limit.
J3	The matrix spike recovery outside method acceptance limits indicating matrix interference.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the detection limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
N.O.O.	No Odor Observed
REP	Field parameter measured by client
V	Indicated that the analyte was detected in both the sample and the associated method blank.
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z	Too many colonies were present for accurate counting.
SUB	Work performed by outside (subcontracted) labs denoted by SUB in analyst field.

QC=Qualifier Codes as defined by DEP 62-160

Unless indicated, soil results are reported on actual (wet) weight basis.

The Color SM2120B method is reported as (Color / pH)


Legionella analyzed under CDC accreditation program

Dilution factors ≥ 1000 are abbreviated using $k=1000$ and $M=1000000$

Field parameters are not NELAP accredited.

Results relate only to this sample.

Suresh (Bobby) Supan - CSM



Authorized CSM Signature (954) 978-6400
Florida-Spectrum Environmental Services, Inc.
Certification# E86006

All NELAP certified analysis are performed in accordance with Chapter 64E-1 Florida Administrative code, which has been determined to be equivalent to NELAC standards. Analysis certified by programs other than NELAP are designated with a "-".

WORK ORDER #

21KO167



Doc. Ctrl: 0401120-003
WPB 20 FL 33412
 Meets 50 days before log road

Logged PBG SWA
 Meets 50 days before log road

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

Project Name: Central county Transfer Station surface water

CHAIN OF CUSTODY RECORD

1460 W. McNab Road, Ft. Laud. FL 33309
 108 Airport Park Dr., Garden City, GA 31408
 528 Gooch Rd., Fort Meade, FL 33841
 610 Parrot Ave. N, Okeechobee, FL 34972
 11 E. Easton Drive, Lakeland, FL 33803

Original-Return w/report

Yellow-Lab File Copy

Pink - Sampler Copy

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

COC# A 03644

Tel: (954) 978-6400
 Fax: (954) 978-2233
 Tel: (912) 238-5050
 Fax: (912) 234-4815
 Tel: (863) 285-8145
 Fax: (863) 285-7030
 Tel: (863) 763-3336
 Fax: (863) 763-1544
 Tel: (863) 686-4271

Yellow-Lab File Copy

Pink - Sampler Copy

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

Rush Surcharges apply

DUE DATE Requested

RUSH RESERVATION #

Rush Surcharges apply

Report to: _____
 Address: _____
 Invoice to: _____
 Address: _____
 Site Location: _____
 Phone: _____
 Email: _____

Project: _____
 Affiliation: _____

Sampler Name: Antonio Richards
Manny Alvarez

ORDER # _____
 Sample ID _____

Lab Control Number _____
 Shaded Areas For Laboratory Use Only

1	2	3	4	5	6	7	8	9	10	Matrix	Bottle & Pres.	Number of Containers Received & NELAC Letter Suffixes #	Sampler Signature	Field Tests				
														T E M P °C	P H	C O N D		
01	CTSSE Blank 110321	11/3/21	9:30	DI	APP THP	4	<u>Manny Alvarez</u>	✓						See page 4 Letter of: 9/16/21				
02	CTSW-1	11/3/21	9:55	SW	THP	4		✓										
	Metal Trip Blank 11321																	
	Metal Trip Blank 11321	11/3/21	9:55	DI	THP	1		✓										SEE FIELD SHEETS FOR FIELD PARAMETERS

Special Comments: COOLER #007

I waive TNI protocol (emergency) (sign here) >

Deliverables: _____

Sample Custody & Field Comments	QA/QC Report Needed?	Yes	No	(additional charge)
Received on Ice: <u>Y</u>				
Temperature received: <u>8.8</u>				
Capped/seals: <u>Y</u>				
Field Time: _____				
Pick Up: _____ hrs				
Charges: _____				

Signature	Affiliation	Date/Time
1	<u>Manny Alvarez</u>	<u>11/3/21</u>
2	<u>Manny Alvarez</u>	<u>11/03/21 11:54</u>
3	<u>Manny Alvarez</u>	<u>11/03/21 15:30</u>

21K016F

CENTRAL COUNTY TRANSFER STATION SURFACE WATER

SWA PERMIT # C.O.A. F.5.E. I & II

1 Surface Site CTSW-1

1 Equipment Blank (CTSSE Blank)

Parameters (Matrix: Surface Water)

A. Metals

Arsenic	Chromium	Lead	Sodium
Barium	Copper	Mercury	Selenium
Cadmium	Iron		

B. Indicator Parameters

· Total Ammonia	· Nitrate	· Oil & Grease
· Total Alkalinity	· TKN	· Sulfate
· COD	· TDS	· Chloride
· TRPH (Total Recoverable Petroleum Hydrocarbons)		
· Foaming Agents (MBAS)		

C. Field Parameters

Conductivity (field)
pH (field)
Temperature (field)
Turbidity (field)

READ STAFF GAUGE

READ METER AT MASTER PUMP STATION

Page 2 of 2

COC # 03644

**Solid Waste Authority of Palm Beach County
Equipment Blank – Surface Water**

SITE NAME: Central County Transfer Station Surface Water		WACS Facility ID: PBCC01	DATE: 11/3/21
Sample name: CTSSE Blank 110321		WACS Test Site ID: N/A	SAMPLE TIME: 9:30
Matrix: DI Water		Site Location: 1810 Lantana Road - Lantana, FL	


Description:
Equipment Blanks are collected before sampling. Laboratory supplied DI water is poured into the pre-cleaned equipment and then poured into sample bottles.

Classification of Ground Water: N/A		Weather Conditions: Sunny + cool	
Sample Method: GRAB	Stainless Steel Bucket #: D	Stainless Steel Beaker #: Q	DI Water Lot # 9/24/21

Equipment Blank - Field Data

FIELD VALUES →			pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)
			6.61	24.3	28.5	—	0.13
Color: clear	Odor: NO	Sheen: NO	Comments Metal Trip Blank 11321			Cooler # 007	

SAMPLING DATA

FIELD DECONTAMINATION: No		FIELD-FILTERED: No		DUPLICATE: Y <input type="radio"/> N <input checked="" type="radio"/>		
SAMPLE CONTAINER SPECIFICATION			SAMPLE PRESERVATION			INTENDED ANALYSIS AND/OR METHOD
NO.	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOLUME ADDED IN FIELD (mL)	FINAL pH	
1	HDPE	1- LITER	HNO3	None	<2.0	Metals
2	HDPE		H2SO4	None	<2.0	Ammonia, COD, TKN
3						
MATERIAL CODES: AG = AMBER GLASS; CG = CLEAR GLASS; HDPE = HIGH DENSITY POLYETHYLENE; O = OTHER (SPECIFY)						
SAMPLED BY (PRINT) ANTONIO RICHARDS Manny Alvarez			SAMPLER(S) SIGNATURE(S) 			

**Solid Waste Authority of Palm Beach County
SURFACE WATER SAMPLING LOG**

SITE NAME: Central County Transfer Station - Surface Water		WACS Facility ID: PBCC01		DATE: 11/3/21
Sample name: CTSW-1	Matrix: Surface Water	WACS Test Site ID: PBCC09		SAMPLE TIME: 9:55
Sample Location: 1810 Lantana Road Lantana, Fl.		Description: Adjacent to Storm Water Structure on East side in pond		Discharge Elevation: ft NGVD. N/A
Classification of Surface water: SW-III F	Depth of Sample: 4" - 6"	Staff Gauge Reading: S Side of pond 7.71 (ft NGVD)		Weather Conditions: Sunny + Cool
Discharging (circle one) YES: N/A NO:	Sample Method GRAB	Stainless Steel Bucket # 0	Stainless Steel Beaker # Q	Cooler # 007

Surface Water - Field Data

FIELD VALUES →	Other	pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)
		8.72	25.0	317	—	5.66
Color: Light Yellow	Odor: NO	Sheen: NO	Surface Water Conditions: (Aquatic Vegetation coverage, is DS full or dry) MeTer reading 101934			

SAMPLING DATA

FIELD DECONTAMINATION: No			FIELD-FILTERED: No			DUPLICATE: Y <input type="radio"/> N <input checked="" type="radio"/>		
SAMPLE CONTAINER SPECIFICATION			SAMPLE PRESERVATION			INTENDED ANALYSIS AND/OR METHOD		
NO.	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOLUME ADDED IN FIELD (mL)	FINAL pH			
1	HDPE	1- LITER	HNO3	None	22.0	Metals		
2	HDPE		H2SO4	None	22.0	Ammonia, COD, TKN		
3								
MATERIAL CODES: AG = AMBER GLASS; CG = CLEAR GLASS; HDPE = HIGH DENSITY POLYETHYLENE; O = OTHER (SPECIFY)								
SAMPLED BY (PRINT) Manny Alvarez ANTONIO RICHARDS					SAMPLER(S) SIGNATURE(S) 