



NELAP Certificate No. E86006



1460 West McNab Road
Fort Lauderdale, FL 33309
1-800-ANALYTE Phone
(954) 978-6400 Phone
(954) 978-2233 Fax

RECEIVED
OCT 05, 2022

Ground Water Monitoring Report

Solid Waste Authority - Palm Beach County
Hydrogeologist
7501 North Jog Road
West Palm Beach, FL 33412

Date Received: 09/13/2022 16:45
Date Reported: 10/04/2022 16:50
Report Period: 2022Q3

Project Name: Central County Transfer Station MW's
Lab Work Order (COC): 22I0501

Laboratory Sample #

- 22I0501-01
- 22I0501-02
- 22I0501-03
- 22I0501-04
- 22I0501-05

Client Sample #

- CTMW-2S RE
- CTMW-2I RE
- CTMW-1S RE
- CTMW-1I RE
- CTSF Blank 091322 RE



Central County Transfer Station MW's

Lab ID: 2210501-01
Sheen: No
Color: Slight Yellow
Odor: No
Matrix: Groundwater

Diameter (in): 2
Depth to Water (ft): 15.00
Top of Casing (ft): 22.15
Total Depth (ft): 37.31

Parameter Monitoring Report

WACS Facility ID #: PBCC01	Sampling Date/Time: 09/13/22 08:35
WACS Test Site ID#: PBCC03	Report Period: 2022Q3
Well Name: CTMW-2S RE	Well Purge (Y/N): Y
GW Classification: G-II	Well Type: Background
GW Elevation (NGVD): 7.15	Intermediate
	Compliance (X) Other

Storet Code	Parameter	Sample Method Grab/Comp	Field Filter Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dil Factor
							MDL	PQL	
Field Parameter (s) (See Notes and Definitions Page)									
00402	Specific Conductance (field)	GRAB	N	FDEP SOP	09/13/2022 08:35	419 uS/cm @ 25°C		uS/cm @ 25°C	1
00406	pH (Field) at 25°C	GRAB	N	FDEP SOP	09/13/2022 08:35	7.58 S.U.		S.U.	1
	Temperature (field)	GRAB	N	FDEP SOP	09/13/2022 08:35	26.7 °C		°C	1
	Turbidity (Field)	GRAB	N	FDEP SOP	09/13/2022 08:35	5.82 NTU		NTU	1
Wet Chemistry									
	Sulfide	GRAB	N	SM 4500-S D	09/16/2022 17:30	0.0280 mg/L	0.00210	0.0100 mg/L	1



Central County Transfer Station MW's

Lab ID: 2210501-02

Diameter (in): 2
 Depth to Water (ft): 14.98
 Top of Casing (ft): 22.10
 Total Depth (ft): 72.65

Sheen: No
 Color: Clear
 Odor: No
 Matrix: Groundwater

Parameter Monitoring Report

WACS Facility ID #:	PBCC01	Sampling Date/Time:	09/13/22 09:20
WACS Test Site ID#:	PBCC04	Report Period:	2022Q3
Well Name:	CTMW-2I RE	Well Purge (Y/N):	Y
GW Classification:	G-II	Well Type:	Background
GW Elevation (NGVD):	7.12		Intermediate
		Compliance (X)	Other

Storet Code	Parameter	Sample Method Grab/Comp	Field Filter Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dil Factor
							MDL	PQL	
Field Parameter (s) (See Notes and Definitions Page)									
00402	Specific Conductance (field)	GRAB	N	FDEP SOP	09/13/2022 09:20	425 uS/cm @ 25°C		uS/cm @ 25°C	1
00406	pH (Field) at 25°C	GRAB	N	FDEP SOP	09/13/2022 09:20	7.53 S.U.		S.U.	1
	Temperature (field)	GRAB	N	FDEP SOP	09/13/2022 09:20	26.2 °C		°C	1
	Turbidity (Field)	GRAB	N	FDEP SOP	09/13/2022 09:20	0.21 NTU		NTU	1
Wet Chemistry									
	Sulfide	GRAB	N	SM 4500-S D	09/16/2022 17:30	0.0410 mg/L	0.00210	0.0100 mg/L	1



Central County Transfer Station MW's

Lab ID: 2210501-03

Diameter (in): 2
 Depth to Water (ft): 15.35
 Top of Casing (ft): 22.27
 Total Depth (ft): 36.60

Sheen: No
 Color: Clear
 Odor: No
 Matrix: Groundwater

Parameter Monitoring Report

WACS Facility ID #:	PBCC01	Sampling Date/Time:	09/13/22 10:10
WACS Test Site ID#:	PBCC01	Report Period:	2022Q3
Well Name:	CTMW-1S RE	Well Purge (Y/N):	Y
GW Classification:	G-II	Well Type:	Background
GW Elevation (NGVD):	6.92		Intermediate
		Compliance (X)	Other

Storet Code	Parameter	Sample Method Grab/Comp	Field Filter Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dil Factor
							MDL	PQL	
Field Parameter (s) (See Notes and Definitions Page)									
00402	Specific Conductance (field)	GRAB	N	FDEP SOP	09/13/2022 10:10	339 uS/cm @ 25°C		uS/cm @ 25°C	1
00406	pH (Field) at 25°C	GRAB	N	FDEP SOP	09/13/2022 10:10	7.54 S.U.		S.U.	1
	Temperature (field)	GRAB	N	FDEP SOP	09/13/2022 10:10	27.5 °C		°C	1
	Turbidity (Field)	GRAB	N	FDEP SOP	09/13/2022 10:10	0.37 NTU		NTU	1
Wet Chemistry									
	Sulfide	GRAB	N	SM 4500-S D	09/16/2022 17:30	0.00400 mg/L I	0.00210	0.0100 mg/L	1



Central County Transfer Station MW's

Lab ID: 2210501-04
Sheen: No
Color: Slight Yellow
Odor: No
Matrix: Groundwater

Diameter (in): 2
Depth to Water (ft): 15.40
Top of Casing (ft): 22.31
Total Depth (ft): 69.30

Parameter Monitoring Report

WACS Facility ID #: PBCC01	Sampling Date/Time: 09/13/22 10:45
WACS Test Site ID#: PBCC02	Report Period: 2022Q3
Well Name: CTMW-11 RE	Well Purge (Y/N): Y
GW Classification: G-II	Well Type: Background
GW Elevation (NGVD): 6.91	Intermediate
	Compliance (X) Other

Storet Code	Parameter	Sample Method Grab/Comp	Field Filter Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dil Factor
							MDL	PQL	
Field Parameter (s) (See Notes and Definitions Page)									
00402	Specific Conductance (field)	GRAB	N	FDEP SOP	09/13/2022 10:45	525 uS/cm @ 25°C		uS/cm @ 25°C	1
00406	pH (Field) at 25°C	GRAB	N	FDEP SOP	09/13/2022 10:45	7.26 S.U.		S.U.	1
	Temperature (field)	GRAB	N	FDEP SOP	09/13/2022 10:45	27.7 °C		°C	1
	Turbidity (Field)	GRAB	N	FDEP SOP	09/13/2022 10:45	1.35 NTU		NTU	1
Wet Chemistry									
	Sulfide	GRAB	N	SM 4500-S D	09/16/2022 17:30	0.0330 mg/L	0.00210	0.0100 mg/L	1



Central County Transfer Station MW's

Lab ID: 2210501-05

Diameter (in):

Sheen: No

Depth to Water (ft):

Color: Clear

Top of Casing (ft):

Odor: No

Total Depth (ft):

Matrix: DI Water

Parameter Monitoring Report

WACS Facility ID #: PBCC01

Sampling Date/Time: 09/13/22 11:10

WACS Test Site ID#: N/A

Report Period: 2022Q3

Well Name: CTSF Blank 091322 RE

Well Purge (Y/N):

GW Classification: N/A

Well Type: Background

Compliance

GW Elevation (NGVD):

Intermediate

Other (X)

Storet Code	Parameter	Sample Method Grab/Comp	Field Filter Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dil Factor
							MDL	PQL	

Field Parameter (s) (See Notes and Definitions Page)

00402	Specific Conductance (field)	GRAB	N	FDEP SOP	09/13/2022 11:10	0.919 uS/cm @ 25°C		uS/cm @ 25°C	1
00406	pH (Field) at 25°C	GRAB	N	FDEP SOP	09/13/2022 11:10	6.77 S.U.		S.U.	1
	Temperature (field)	GRAB	N	FDEP SOP	09/13/2022 11:10	26.4 °C		°C	1
	Turbidity (Field)	GRAB	N	FDEP SOP	09/13/2022 11:10	0.08 NTU		NTU	1

Wet Chemistry

	Sulfide	GRAB	N	SM 4500-S D	09/16/2022 17:30	<0.00210 mg/L	0.00210	0.0100 mg/L	1
--	---------	------	---	-------------	------------------	---------------	---------	-------------	---

Notes and Definitions

U	Indicated that the compound was analyzed for but not detected. This shall be used to indicate that the specific component was not detected. The value associated with the qualifier shall be the laboratory method detection limit.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the detection limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
N.O.O.	No Odor Observed
REP	Field parameter measured by client
V	Indicated that the analyte was detected in both the sample and the associated method blank.
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z	Too many colonies were present for accurate counting.
SUB	Work performed by outside (subcontracted) labs denoted by SUB in analyst field.

QC=Qualifier Codes as defined by DEP 62-160

Unless indicated, soil results are reported on actual (wet) weight basis.

The Color SM2120B method is reported as (Color / pH)


Legionella analyzed under CDC accreditation program

Dilution factors ≥ 1000 are abbreviated using k=1000 and M=1000000

Field parameters are not NELAP accredited.

Results relate only to this sample.

Suresh (Bobby) Supan - CSM



Authorized CSM Signature (954) 978-6400
Florida-Spectrum Environmental Services, Inc.
Certification# E86006

All NELAP certified analysis are performed in accordance with Chapter 64E-1 Florida Administrative code, which has been determined to be equivalent to NELAC standards. Analysis certified by programs other than NELAP are designated with a "-".

Solid Waste Authority of Palm Beach County GROUNDWATER SAMPLING LOG

SITE NAME: Central County Transfer Station		WACS Facility ID: PBCC01 WACS Test Site ID: PBCC03	DATE: 09/13/2022
WELL NO: CTMW- 2S RE	Well Type: Compliance	Well Location: West of retention Pond	SITE 1810 Lantana Road, LOCATION: Lantana, FI

PURGING DATA

Top of Casing Elevation(ft): 22.15	Static Depth To Water (ft): 15.00	Water Table Elevation NGVD (ft): 7.15	Column Height (ft): 22.31	Total Well Depth (ft): 37.31'						
WELLDIAMETER (in): 2" PVC	1 WELL VOLUME (gal) = (TOTAL WELL DEPTH - DEPTH TO WATER) X WELL CAPACITY = 3 X 4									
WELL CAPACITY (gal/ft): 0.16	= (37.31 - 15.00 = 22.31) X 0.16 = 3.56 GALLONS 4									
PURGE METHOD: Redi-flo		PURGE INITIATED AT: 8:20	PURGE ENDED AT: 8:33	TOTAL VOL. PURGED (gal): 12						
WELL VOLS. Purged	Volume Purged (gal)	CUMUL. VOL. Purged (gal)	PURGE RATE (gpm)	DEPTH TO WATER (ft)	pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)	
1	4	4	0.92	15.10 15.01	7.53	26.5	423	0.28	10.6	
1	4	8		15.10	7.56	26.7	420	0.22	7.31	
1	4	12		15.10	7.58	26.7	419	0.20	5.82	
FINAL FIELD VALUES →					pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)	
					7.58	26.7	419	NOT REQUIRED	5.82	
Color: Slight yellow	Odor: NO	Sheen: NO	Comments:				Cooler # 016			
WELL CAPACITY (Gallons per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88										

SAMPLING DATA

SAMPLING METHOD(S): Redi-flo Pump	SAMPLING INITIATED AT: 8:35	SAMPLING ENDED AT: 8:37	Weather: Sunny + Hot			
FIELD DECONTAMINATION: No	FIELD-FILTERED: No	DUPLICATE: Y (N)				
SAMPLE CONTAINER SPECIFICATION		SAMPLE PRESERVATION			INTENDED ANALYSIS AND/OR METHOD	
NO.	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOLUME ADDED IN FIELD (mL)		FINAL pH
1	HDPE		ZN ACETATE	None	7.90	Sulfide

MATERIAL CODES: AG = AMBER GLASS; CG = CLEAR GLASS; HDPE = HIGH DENSITY POLYETHYLENE; O = OTHER (SPECIFY)

SAMPLED BY (PRINT)

SAMPLER(S) SIGNATURE(S)

Manny Alvarez Antonio Richards

Solid Waste Authority of Palm Beach County GROUNDWATER SAMPLING LOG

SITE NAME: Central County Transfer Station		WACS Facility ID: PBCC01 WACS Test Site ID: PBCC04	DATE: 09/13/2022
WELL NO: CTMW-2I RE	Well Type: Compliance	Well Location: West of retention Pond	SITE 1810 Lantana Road, LOCATION: Lantana, FI

PURGING DATA

Top of Casing Elevation(ft): 22.10	Static Depth To Water (ft): 14.98	Water Table Elevation NGVD (ft): 7.12	Column Height (ft): 57.67	Total Well Depth (ft): 72.65'						
WELLDIAMETER (in): 2" PVC	1 WELL VOLUME (gal) = (TOTAL WELL DEPTH - DEPTH TO WATER) X WELL CAPACITY = 3 X 10									
WELL CAPACITY (gal/ft): 0.16	= (72.65 - 14.98 = 57.67) X 0.16 = 9.22 GALLONS/10									
PURGE METHOD: Redi-flo		PURGE INITIATED AT: 8:55	PURGE ENDED AT: 9:16	TOTAL VOL. PURGED (gal): 30						
WELL VOLS. Purged	Volume Purged (gal)	CUMUL. VOL. Purged (gal)	PURGE RATE (gpm)	DEPTH TO WATER (ft)	pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)	
1	10	10	1.42	15.15	7.53	26.2	422	0.11	0.71	
1	10	20		15.15	7.53	26.2	424	0.11	0.24	
1	10	30		15.15	7.53	26.2	425	0.10	0.21	
FINAL FIELD VALUES →					pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)	
					7.53	26.2	425	NOT REQUIRED	0.21	
Color: Clear	Odor: No	Sheen: No	Comments:				Cooler # 016			
WELL CAPACITY (Gallons per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88										

SAMPLING DATA

SAMPLING METHOD(S): Redi-flo Pump	SAMPLING INITIATED AT: 9:20	SAMPLING ENDED AT: 9:22	Weather: Sunny + Hot			
FIELD DECONTAMINATION: No	FIELD-FILTERED: No	DUPLICATE: Y <input checked="" type="radio"/> N				
SAMPLE CONTAINER SPECIFICATION		SAMPLE PRESERVATION			INTENDED ANALYSIS AND/OR METHOD	
NO.	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOLUME ADDED IN FIELD (mL)		FINAL pH
1	HDPE		ZN ACETATE	None	79.0	Sulfide
MATERIAL CODES: AG = AMBER GLASS; CG = CLEAR GLASS; HDPE = HIGH DENSITY POLYETHYLENE; O = OTHER (SPECIFY)						
SAMPLED BY (PRINT)			SAMPLER(S) SIGNATURE(S)			
<i>Manny Alvarez Antonio Richards</i>			<i>[Signature]</i>			

Solid Waste Authority of Palm Beach County GROUNDWATER SAMPLING LOG

SITE NAME: Central County Transfer Station		WACS Facility ID: PBCC01 WACS Test Site ID: PBCC01	DATE: 09/13/2022
WELL NO: CTMW-1S RE	Well Type: Compliance	Well Location: North of retention Pond	SITE 1810 Lantana Road, LOCATION: Lantana, FI

PURGING DATA

Top of Casing Elevation(ft): 22.27	Static Depth To Water (ft): 15.35	Water Table Elevation NGVD (ft): 6.92	Column Height (ft): 21.25	Total Well Depth (ft): 36.60'					
WELLDIAMETER (in): 2" PVC	1 WELL VOLUME (gal) = (TOTAL WELL DEPTH - DEPTH TO WATER) X WELL CAPACITY = 3 X 4								
WELL CAPACITY (gal/ft): 0.16	= (36.60 - 15.35 = 21.25) X 0.16 = 3.4 GALLONS 4								
PURGE METHOD: Redi-flo		PURGE INITIATED AT: 9:50	PURGE ENDED AT: 10:07	TOTAL VOL. PURGED (gal): 16					
WELL VOLS. Purged	Volume Purged (gal)	CUMUL. VOL. Purged (gal)	PURGE RATE (gpm)	DEPTH TO WATER (ft)	pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)
1	4	4	0.94	15.45	7.53	27.4	317	0.65	0.40
1	4	8		15.45	7.52	27.5	340	0.22	0.58
1	4	12		15.45	7.54	27.5	340	0.16	0.42
1	4	16		15.45	7.54	27.5	339	0.13	0.37
FINAL FIELD VALUES →					pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)
					7.54	27.5	339	NOT REQUIRED	0.37
Color: clear	Odor: NO	Sheen: NO	Comments:			Cooler #: 016			
WELL CAPACITY (Gallons per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88									

SAMPLING DATA

SAMPLING METHOD(S): Redi-flo Pump	SAMPLING INITIATED AT: 10:10	SAMPLING ENDED AT: 10:12	Weather: Sunny + HOT			
FIELD DECONTAMINATION: No	FIELD-FILTERED: No	DUPLICATE: Y N				
SAMPLE CONTAINER SPECIFICATION		SAMPLE PRESERVATION			INTENDED ANALYSIS AND/OR METHOD	
NO.	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOLUME ADDED IN FIELD (mL)		FINAL pH
1	HDPE		ZN ACETATE	None	79.0	Sulfide
MATERIAL CODES: AG = AMBER GLASS; CG = CLEAR GLASS; HDPE = HIGH DENSITY POLYETHYLENE; O = OTHER (SPECIFY)						
SAMPLED BY (PRINT) Manny Alvarez			SAMPLER(S) SIGNATURE(S) Antonio Richards			

Solid Waste Authority of Palm Beach County GROUNDWATER SAMPLING LOG

SITE NAME: Central County Transfer Station		WACS Facility ID: PBCC01 WACS Test Site ID: PBCC02	DATE: 09/13/2022
WELL NO: CTMW-1I RE	Well Type: Compliance	Well Location: North of retention Pond	SITE 1810 Lantana Road, LOCATION: Lantana, FL

PURGING DATA

Top of Casing Elevation(ft): 22.31	Static Depth To Water (ft): 15.40	Water Table Elevation NGVD (ft): 6.91	Column Height (ft): 53.9	Total Well Depth (ft): 69.30'
WELLDIAMETER (in): 2" PVC	1 WELL VOLUME (gal) = (TOTAL WELL DEPTH - DEPTH TO WATER) X WELL CAPACITY = 3 X 9			
WELL CAPACITY (gal/ft): 0.16	= (69.30 - 15.40 = 53.9) X 0.16 = 8.62 GALLONS 9			

PURGE METHOD: Redi-flo	PURGE INITIATED AT: 10:20	PURGE ENDED AT: 10:41	TOTAL VOL. PURGED (gal): 27
-------------------------------	----------------------------------	------------------------------	------------------------------------

WELL VOLS. Purged	Volume Purged (gal)	CUMUL. VOL. Purged (gal)	PURGE RATE (gpm)	DEPTH TO WATER (ft)	pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)
1	9	9	1.28	15.71	7.22	27.5	528	0.33	3.49
1	9	18		15.70	7.26	27.7	525	0.13	2.29
1	9	27		15.70	7.26	27.7	525	0.12	1.35

FINAL FIELD VALUES →				pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)
				7.26	27.7	525	NOT REQUIRED	1.35

Color: Slight yellow	Odor: NO	Sheen: NO	Comments:	Cooler #: 016
-----------------------------	-----------------	------------------	-----------	----------------------

WELL CAPACITY (Gallons per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88

SAMPLING DATA

SAMPLING METHOD(S): Redi-flo Pump	SAMPLING INITIATED AT: 10:45	SAMPLING ENDED AT: 10:47	Weather: Sunny + HOT			
FIELD DECONTAMINATION: No	FIELD-FILTERED: No	DUPLICATE: Y (N)				
SAMPLE CONTAINER SPECIFICATION		SAMPLE PRESERVATION		INTENDED ANALYSIS AND/OR METHOD		
NO.	MATERIAL CODE	VOLUME	PRESERVATIVE USED		TOTAL VOLUME ADDED IN FIELD (mL)	FINAL pH
1	HDPE		ZN ACETATE	None	7.0	Sulfide

MATERIAL CODES: AG = AMBER GLASS; CG = CLEAR GLASS; HDPE = HIGH DENSITY POLYETHYLENE; O = OTHER (SPECIFY)

SAMPLED BY (PRINT): Manny Alvarez Antonio Richards	SAMPLER(S) SIGNATURE(S): <i>[Signature]</i>
--	--

**Solid Waste Authority of Palm Beach County
Field Blank Data Sheet**

SITE NAME: Central County Transfer Station		WACS Facility ID: PBCC01	DATE: 09/13/2022
Sample name: CTSF Blank 091322 RE		WACS Test Site ID: N/A	SAMPLE TIME: 11:10
Matrix: DI Water		Site Location: 1810 Lantana Road - Lantana, FL	

Description: Field blanks monitor the on-site sampling environment, sample container cleaning, the suitability of sample preservatives and analyte-free water, and sample transport and storage conditions for water samples. Field Blanks are collected in the field during the middle to end of a sampling event or if any unusual activities are observed that may affect sampling activities. Field blanks are prepared by pouring analyte-free water into sample containers for each parameter set to be collected.		
Classification of Ground Water: N/A	Weather Conditions: Sunny + HOT	
Sample Method: GRAB	Stainless Steel Submersible pump #:	DI Water Lot # 7/27/22

Field Blank - Field Data

FIELD VALUES →	Other	pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L) NOT REQUIRED	TURBIDITY (NTUs)
		6.77	26.4	0.919		0.08
Color: clear	Odor: NO	Sheen: NO	Comments:			Cooler # 016

SAMPLING DATA

FIELD DECONTAMINATION: No			FIELD-FILTERED: No			DUPLICATE: Y <input type="radio"/> N <input checked="" type="radio"/>	
SAMPLE CONTAINER SPECIFICATION			SAMPLE PRESERVATION			INTENDED ANALYSIS AND/OR METHOD	
NO.	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOLUME ADDED IN FIELD (mL)	FINAL pH		
1	HDPE		ZN ACETATE	None	7.9.0	Sulfide	
MATERIAL CODES: AG = AMBER GLASS; CG = CLEAR GLASS; HDPE = HIGH DENSITY POLYETHYLENE; O = OTHER (SPECIFY)							
SAMPLED BY (PRINT) Manny Alvarez Antonio Richards				SAMPLER(S) SIGNATURE(S) 