



NELAP Certificate No. E86006



1460 West McNab Road  
Fort Lauderdale, FL 33309  
1-800-ANALYTE Phone  
(954) 978-6400 Phone  
(954) 978-2233 Fax

**RECEIVED**  
**DEC 19, 2022**

**Ground Water Monitoring Report**

Solid Waste Authority - Palm Beach County  
Hydrogeologist  
7501 North Jog Road  
West Palm Beach, FL 33412

Date Received: 11/07/2022 14:30  
Date Reported: 12/18/2022 20:38  
Report Period: 2022Q4

**Project Name: Central County Transfer Station Surface Water**  
**Lab Work Order (COC): 22K0247**

**Laboratory Sample #**

**22K0247-01**  
**22K0247-02**  
**22K0247-03**

**Client Sample #**

**CTSSE Blank 110722**  
**CTSW-1**  
**Metal Trip Blank 110722**



Central County Transfer Station Surface Water

Lab ID: 22K0247-01

Diameter (in):

Sheen: No

Depth to Water (ft):

Color: Clear

Top of Casing (ft):

Odor: No

Total Depth (ft):

Matrix: DI Water

**Parameter Monitoring Report**

WACS Facility ID #: PBCC01

Sampling Date/Time: 11/07/22 10:38

WACS Test Site ID#: N/A

Report Period: 2022Q4

Well Name: CTSSE Blank 110722

Well Purge (Y/N):

GW Classification: N/A

Well Type:

Background

Compliance

GW Elevation (NGVD):

Intermediate

Other (x)

Storet Code	Parameter	Sample Method Grab/Comp	Field Filter Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dil Factor
							MDL	PQL	

**Field Parameter (s) (See Notes and Definitions Page)**

00402	Specific Conductance (field)	GRAB	N	FDEP SOP	11/07/2022 10:38	1.017 umhos/cm@25°C		umhos/cm@25°C	1
00406	pH (Field) at 25°C	GRAB	N	FDEP SOP	11/07/2022 10:38	6.21 S.U.		S.U.	1
	Temperature (field)	GRAB	N	FDEP SOP	11/07/2022 10:38	26.1 °C		°C	1
	Turbidity (Field)	GRAB	N	FDEP SOP	11/07/2022 10:38	0.25 NTU		NTU	1

**Classical Chemistry Parameters**

	Oil & Grease (HEM)	GRAB	N	EPA 1664	11/08/2022 17:02	<1.30 mg/L	1.30	3.90 mg/L	1
	TRPH	GRAB	N	EPA 1664	11/09/2022 18:21	<1.39 mg/L	1.39	4.18 mg/L	1

**Wet Chemistry**

	Total Alkalinity	GRAB	N	EPA 310.2	11/11/2022 18:15	<3.74 mg/L	3.74	10.0 mg/L	1
00151	Ammonia as N	GRAB	N	EPA 350.1	11/11/2022 12:19	<0.00620 mg/L	0.00620	0.0200 mg/L	1
00940	Chloride	GRAB	N	EPA 300.0	11/07/2022 19:59	<0.126 mg/L	0.126	0.500 mg/L	1
	Chemical Oxygen Demand	GRAB	N	EPA 410.4	11/12/2022 13:35	<2.54 mg/L	2.54	10.0 mg/L	1
	MBAS as LAS, mol wt. 340	GRAB	N	SM5540C	11/08/2022 16:30	<0.0220 mg/L	0.0220	0.100 mg/L	1
71851	Nitrate as N	GRAB	N	EPA 300.0	11/07/2022 19:59	<0.00720 mg/L	0.00720	0.0750 mg/L	1
00945	Sulfate	GRAB	N	EPA 300.0	11/07/2022 19:59	<0.0953 mg/L	0.0953	0.500 mg/L	1
00134	Total Dissolved Solids	GRAB	N	SM 2540C	11/14/2022 21:02	<10.0 mg/L	10.0	30.0 mg/L	1
81393	Total Kjeldahl Nitrogen	GRAB	N	EPA 351.2	11/17/2022 12:19	<0.184 mg/L	0.184	0.552 mg/L	1

**Total Recoverable Metals by EPA 200 Series Methods**

01002	Arsenic	GRAB	N	EPA 200.8	11/09/2022 12:17	<0.115 ug/L	0.115	0.500 ug/L	1
01027	Cadmium	GRAB	N	EPA 200.8	11/09/2022 12:17	<0.0251 ug/L	0.0251	0.200 ug/L	1
01042	Copper	GRAB	N	EPA 200.8	11/09/2022 12:17	<1.01 ug/L	1.01	4.00 ug/L	1
01051	Lead	GRAB	N	EPA 200.8	11/09/2022 12:17	<0.0638 ug/L	0.0638	0.500 ug/L	1
71900	Mercury	GRAB	N	EPA 200.8	11/30/2022 11:03	<0.0116 ug/L	0.0116	0.100 ug/L	1

**Metals by EPA 6000/7000 Series Methods**

01007	Barium	GRAB	N	EPA 6010/3010	11/08/2022 12:36	<0.0962 ug/L	0.0962	1.00 ug/L	1
01034	Chromium	GRAB	N	EPA 6010/3010	11/08/2022 12:36	<0.513 ug/L	0.513	5.00 ug/L	1
01045	Iron	GRAB	N	EPA 6010/3010	11/08/2022 12:36	<1.69 ug/L	1.69	10.0 ug/L	1
01147	Selenium	GRAB	N	EPA 6010/3010	11/08/2022 12:36	<4.39 ug/L	4.39	15.0 ug/L	1
00934	Sodium	GRAB	N	EPA 6010/3010	11/08/2022 12:36	<0.521 mg/L	0.521	2.00 mg/L	1



Central County Transfer Station Surface Water

**Lab ID:** 22K0247-02  
**Sheen:** No  
**Color:** Slight Yellow  
**Odor:** No  
**Matrix:** Surface Water

**Diameter (in):**  
**Depth to Water (ft):**  
**Top of Casing (ft):**  
**Total Depth (ft):**

**Parameter Monitoring Report**

**WACS Facility ID #:** PBCC01      **Sampling Date/Time:** 11/07/22 10:47  
**WACS Test Site ID#:** PBCC09      **Report Period:** 2022Q4  
**Well Name:** CTSW-1      **Well Purge (Y/N):**  
**GW Classification:** SW-IIIF      **Well Type:** Background      Compliance  
**GW Elevation (NGVD):** N/A      Intermediate      Other (X)

Storet Code	Parameter	Sample Method Grab/Comp	Field Filter Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units MDL	PQL	Dil Factor
-------------	-----------	----------------------------	---------------------	-----------------	--------------------	------------------------	-------------------------------	-----	------------

**Field Parameter (s) (See Notes and Definitions Page)**

00402	Specific Conductance (field)	GRAB	N	FDEP SOP	11/07/2022 10:47	350 umhos/cm@25°C	umhos/cm@25°C		1
00406	pH (Field) at 25°C	GRAB	N	FDEP SOP	11/07/2022 10:47	8.79 S.U.	S.U.		1
	Temperature (field)	GRAB	N	FDEP SOP	11/07/2022 10:47	27.0 °C	°C		1
	Turbidity (Field)	GRAB	N	FDEP SOP	11/07/2022 10:47	3.82 NTU	NTU		1

**Classical Chemistry Parameters**

	Oil & Grease (HEM)	GRAB	N	EPA 1664	11/08/2022 17:02	3.10 mg/L I	1.30	3.90 mg/L	1
	TRPH	GRAB	N	EPA 1664	11/09/2022 18:21	1.80 mg/L I	1.39	4.18 mg/L	1

**Wet Chemistry**

	Total Alkalinity	GRAB	N	EPA 310.2	11/11/2022 18:15	62.8 mg/L	3.74	10.0 mg/L	1
00151	Ammonia as N	GRAB	N	EPA 350.1	11/11/2022 12:19	<0.00620 mg/L	0.00620	0.0200 mg/L	1
00940	Chloride	GRAB	N	EPA 300.0	11/07/2022 20:15	43.3 mg/L	0.126	0.500 mg/L	1
	Chemical Oxygen Demand	GRAB	N	EPA 410.4	11/12/2022 13:35	45.1 mg/L	2.54	10.0 mg/L	1
	MBAS as LAS, mol wt. 340	GRAB	N	SM5540C	11/08/2022 16:30	0.0400 mg/L I	0.0220	0.100 mg/L	1
71851	Nitrate as N	GRAB	N	EPA 300.0	11/07/2022 20:15	<0.00720 mg/L	0.00720	0.0750 mg/L	1
00945	Sulfate	GRAB	N	EPA 300.0	11/07/2022 20:15	14.6 mg/L	0.0953	0.500 mg/L	1
00134	Total Dissolved Solids	GRAB	N	SM 2540C	11/14/2022 21:02	206 mg/L	20.0	60.0 mg/L	2
81393	Total Kjeldahl Nitrogen	GRAB	N	EPA 351.2	11/17/2022 12:19	0.819 mg/L	0.184	0.552 mg/L	1

**Total Recoverable Metals by EPA 200 Series Methods**

01002	Arsenic	GRAB	N	EPA 200.8	12/09/2022 12:21	1.75 ug/L	0.115	0.500 ug/L	1
01027	Cadmium	GRAB	N	EPA 200.8	11/09/2022 12:21	<0.0251 ug/L	0.0251	0.200 ug/L	1
01042	Copper	GRAB	N	EPA 200.8	11/09/2022 12:21	4.67 ug/L	1.01	4.00 ug/L	1
01051	Lead	GRAB	N	EPA 200.8	11/09/2022 12:21	<0.0638 ug/L	0.0638	0.500 ug/L	1
71900	Mercury	GRAB	N	EPA 200.8	11/30/2022 11:05	<0.0116 ug/L	0.0116	0.100 ug/L	1

**Metals by EPA 6000/7000 Series Methods**

01007	Barium	GRAB	N	EPA 6010/3010	11/08/2022 12:37	8.90 ug/L	0.0962	1.00 ug/L	1
01034	Chromium	GRAB	N	EPA 6010/3010	11/08/2022 12:37	0.800 ug/L I	0.513	5.00 ug/L	1
01045	Iron	GRAB	N	EPA 6010/3010	11/08/2022 12:37	31.2 ug/L	1.69	10.0 ug/L	1
01147	Selenium	GRAB	N	EPA 6010/3010	11/08/2022 12:37	<4.39 ug/L	4.39	15.0 ug/L	1
00934	Sodium	GRAB	N	EPA 6010/3010	11/08/2022 12:37	24.0 mg/L	0.521	2.00 mg/L	1



Central County Transfer Station Surface Water

Lab ID: 22K0247-03

Diameter (in):

Sheen:

Depth to Water (ft):

Color:

Top of Casing (ft):

Odor:

Total Depth (ft):

Matrix: DI

**Parameter Monitoring Report**

WACS Facility ID #:

Sampling Date/Time: 11/07/22 10:47

WACS Test Site ID#:

Report Period: 2022Q4

Well Name: Metal Trip Blank 110722

Well Purge (Y/N):

GW Classification:

Well Type: Background

Compliance

GW Elevation (NGVD):

Intermediate

Other (x)

Storet Code	Parameter	Sample Method Grab/Comp	Field Filter Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units		Dil Factor
							MDL	PQL	

**Total Recoverable Metals by EPA 200 Series Methods**

01002	Arsenic	GRAB		EPA 200.8	12/09/2022 12:26	<0.115 ug/L	0.115	0.500 ug/L	1
01027	Cadmium	GRAB		EPA 200.8	11/09/2022 12:26	<0.0251 ug/L	0.0251	0.200 ug/L	1
01042	Copper	GRAB		EPA 200.8	11/09/2022 12:26	<1.01 ug/L	1.01	4.00 ug/L	1
01051	Lead	GRAB		EPA 200.8	11/09/2022 12:26	<0.0638 ug/L	0.0638	0.500 ug/L	1
71900	Mercury	GRAB		EPA 200.8	11/30/2022 11:07	<0.0116 ug/L	0.0116	0.100 ug/L	1

**Metals by EPA 6000/7000 Series Methods**


01007	Barium	GRAB		EPA 6010/3010	11/08/2022 12:39	<0.0962 ug/L	0.0962	1.00 ug/L	1
01034	Chromium	GRAB		EPA 6010/3010	11/08/2022 12:39	<0.513 ug/L	0.513	5.00 ug/L	1
01045	Iron	GRAB		EPA 6010/3010	11/08/2022 12:39	<1.69 ug/L	1.69	10.0 ug/L	1
01147	Selenium	GRAB		EPA 6010/3010	11/08/2022 12:39	<4.39 ug/L	4.39	15.0 ug/L	1
00934	Sodium	GRAB		EPA 6010/3010	11/08/2022 12:39	<0.521 mg/L	0.521	2.00 mg/L	1

### Notes and Definitions

U	Indicated that the compound was analyzed for but not detected. This shall be used to indicate that the specific component was not detected. The value associated with the qualifier shall be the laboratory method detection limit.
J3	The matrix spike recovery outside method acceptance limits indicating matrix interference.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the detection limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
N.O.O.	No Odor Observed
REP	Field parameter measured by client
V	Indicated that the analyte was detected in both the sample and the associated method blank.
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z	Too many colonies were present for accurate counting.
SUB	Work performed by outside (subcontracted) labs denoted by SUB in analyst field.

QC=Qualifier Codes as defined by DEP 62-160  
 Unless indicated, soil results are reported on actual (wet) weight basis.  
 The Color SM2120B method is reported as (Color / pH)  
 Legionella analyzed under CDC accreditation program  
 Dilution factors  $\geq 1000$  are abbreviated using k=1000 and M=1000000  
 Field parameters are not NELAP accredited.  
 Results relate only to this sample.

Suresh (Bobby) Supan - CSM



Authorized CSM Signature (954) 978-6400  
 Florida-Spectrum Environmental Services, Inc.  
 Certification# E86006

All NELAP certified analysis are performed in accordance with Chapter 64E-1 Florida Administrative code, which has been determined to be equivalent to NELAC standards. Analysis certified by programs other than NELAP are designated with a "-".

**WORK ORDER #**  
2020247



Logged by **EMSWALK**  
Meets Acceptance Criteria: **Y N**  
Date: 10/19/2020 Rev. 3

Report to **7501 N. Jog Road, WPB, FL 33412**

**Contact: Managing Hydrogeologist**

Phone: **561 640-4000**

FAX: **561 640-3400**

Project Name: **Central County Transfer Station Surface water**

Project Address: **111 E. Easton Drive, Lakeland, FL 33803**

Project Location: **Station**

Project Site: **Station**

Project Address: **111 E. Easton Drive, Lakeland, FL 33803**

Project Location: **Station**

Project Site: **Station**

Project Address: **111 E. Easton Drive, Lakeland, FL 33803**

Project Location: **Station**

Project Site: **Station**

Project Address: **111 E. Easton Drive, Lakeland, FL 33803**

Project Location: **Station**

Project Site: **Station**

Project Address: **111 E. Easton Drive, Lakeland, FL 33803**

Project Location: **Station**

Project Site: **Station**

Project Address: **111 E. Easton Drive, Lakeland, FL 33803**

Project Location: **Station**

Project Site: **Station**

Project Address: **111 E. Easton Drive, Lakeland, FL 33803**

Project Location: **Station**

Project Site: **Station**

Project Address: **111 E. Easton Drive, Lakeland, FL 33803**

Project Location: **Station**

Project Site: **Station**

**CHAIN OF CUSTODY RECORD**

1460 W. McNab Road, Ft. Laud. FL 33309  
108 Airport Park Dr., Garden City, GA 31408  
528 Gooch Rd., Fort Meade, FL 33841  
610 Parrot Ave. N, Okechobee, FL 34972  
111 E. Easton Drive, Lakeland, FL 33803

Original-Return w/report

Report to Address:

Invoice to Address:

Site Location:

Phone:

Affiliation:

Sampler Signature

Number of Containers Received & NELAC Letter Suffixes #

Bottle & Pres. Combo Codes

Matrix

Time Sampled

Date Sampled

Sample ID

ORDER #

Lab Control Number

Shaded Areas For Laboratory Use Only

1

2

3

4

5

6

7

8

9

10

**COC# A 08349**

Tel: (954) 978-6400  
Tel: (912) 238-5050  
Tel: (863) 285-8145  
Tel: (863) 763-3336  
Tel: (863) 686-4271

Yellow-Lab File Copy

Report to Address:

Invoice to Address:

Site Location:

Phone:

Affiliation:

Sampler Signature

Number of Containers Received & NELAC Letter Suffixes #

Bottle & Pres. Combo Codes

Matrix

Time Sampled

Date Sampled

Sample ID

ORDER #

Lab Control Number

Shaded Areas For Laboratory Use Only

1

2

3

4

5

6

7

8

9

10

**DUE DATE Requested**

**RUSH RESERVATION #**

*Rush Surcharges apply*

**Analysis Required**

See page 4  
Letter of: September 15, 2022

Field Tests  
TEMP °C  
PH  
COND  
COLOR

Special Comments: **Cooler # 027**

Deliverables: **"I waive TNI protocol" (emergency) (sign here) >**

QA/QC Report Needed? Yes No (additional charge)

SEE FIELD SHEETS FOR FIELD PARAMETERS

Signature Affiliation Date/Time

1 Relinquished by: **Manny Alvarez** 11/07/22 13:10

2 Relinquished by: **[Signature]** FSES 11/07/22 14:30

3 Relinquished by: **[Signature]** FSES 11/7/22 14:30

Received by: **[Signature]** www.flenviro.com COC Page 1 of 2

Sample Custody & Field Comments

Received on Ice: **Y N**

as received: **Y N**

Field seals: **Y N**

FIELD TIME: **GUN-1**

hrs Pick Up: **6** hrs

Charges: **0**

Bottle Type

A-litter amber  
B-Bacteria bag/bottle  
C-500 ml  
D-Plastic Amber Liter  
E-litter bottle  
F-S2-oz soil jar  
G-S4-oz soil jar / S8-8 oz soil jar  
H-250 ml  
I-40 ml vial  
J-W-wide mouth  
K-X-other

TED-Tedlar Air Bag

Preservatives

A-ascorbic acid  
B-HCL  
C-CuSO4  
D-DI water  
E-HNO3  
F-M-CAB  
G-MeOH-Methanol  
H-Zinc acetate

Additional Preservatives  
Hex-Hex Cr Buffer  
EDA-Ethylene Diamine

**CENTRAL COUNTY TRANSFER STATION SURFACE WATER**

**SWA PERMIT # C.O.A. F.5.E. I & II**

1 Surface Site CTSW-1

1 Equipment Blank (CTSSE Blank)

**Parameters (Matrix: Surface Water)**

Run EPA method 200.8 for Arsenic, Cadmium & Lead

**A. Metals**

Arsenic	Chromium	Lead	Sodium
Barium	Copper	Mercury	Selenium
Cadmium	Iron		

**B. Indicator Parameters**

Total Ammonia	Nitrate	Oil & Grease
Total Alkalinity	TKN	Sulfate
COD	TDS	Chloride
TRPH (Total Recoverable Petroleum Hydrocarbons)		
Foaming Agents (MBAS)		

**C. Field Parameters**

Conductivity (field)  
pH (field)  
Temperature (field)  
Turbidity (field)

**READ STAFF GUAGE**

**READ METER AT MASTER PUMP STATION**

Page 2 of 2  
COC # 08349  
Dated: 11/07/22

**Solid Waste Authority of Palm Beach County  
Equipment Blank – Surface Water**


SITE NAME: <b>Central County Transfer Station Surface Water</b>		WACS Facility ID: PBCC01	DATE: 11/07/2022
Sample name: <b>CTSSE Blank 110722</b>		WACS Test Site ID: N/A	SAMPLE TIME: <b>10:38</b>
Matrix: <b>DI Water</b>		Site Location: <b>1810 Lantana Road - Lantana, FL</b>	

<b>Description:</b> Equipment Blanks are collected before sampling. Laboratory supplied DI water is poured into the pre-cleaned equipment and then poured into sample bottles.			
<b>Classification of Ground Water:</b> N/A		<b>Weather Conditions:</b> <b>Sunny + warm</b>	
<b>Sample Method:</b> GRAB	<b>Stainless Steel Bucket #:</b> <b>B</b>	<b>Stainless Steel Beaker #:</b> <b>Q</b>	<b>DI Water Lot #</b> <b>10/17/22</b>

**Equipment Blank - Field Data**

FIELD VALUES →			pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L) NOT REQUIRED	TURBIDITY (NTUs)
			6.21	26.1	1.017		0.25
<b>Color:</b> <b>Clear</b>	<b>Odor:</b> <b>NO</b>	<b>Sheen:</b> <b>NO</b>	<b>Comments: Metal Trip Blank 110722</b>			<b>Cooler # 027</b>	

**SAMPLING DATA**

FIELD DECONTAMINATION: <b>No</b>			FIELD-FILTERED: <b>No</b>			DUPLICATE: Y <input type="radio"/> N <input checked="" type="radio"/>	
SAMPLE CONTAINER SPECIFICATION			SAMPLE PRESERVATION			INTENDED ANALYSIS AND/OR METHOD	
NO.	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOLUME ADDED IN FIELD (mL)	FINAL pH		
1	HDPE	1- LITER	HNO3	None	7.0	Metals	
2	HDPE		H2SO4	None	7.0	Ammonia, COD, TKN	
3			H2SO4	None	7.0	OIL & GREASE, TRPH	
MATERIAL CODES: AG = AMBER GLASS; CG = CLEAR GLASS; HDPE = HIGH DENSITY POLYETHYLENE; O = OTHER (SPECIFY)							
SAMPLED BY (PRINT) <b>ANTONIO RICHARDS</b>				SAMPLER(S) SIGNATURE(S) 			
<b>Manny Alvarez</b>							



## Solid Waste Authority of Palm Beach County SURFACE WATER SAMPLING LOG

SITE NAME: <b>Central County Transfer Station - Surface Water</b>		WACS Facility ID: <b>PBCC01</b>	DATE: <b>11/07/2022</b>
Sample name: <b>CTSW-1</b>	Matrix: <b>Surface Water</b>	WACS Test Site ID: <b>PBCC09</b>	SAMPLE TIME: <b>10:47</b>
Sample Location: 1810 Lantana Road Lantana, Fl.		Description: Adjacent to Storm Water Structure on East side in pond	Discharge Elevation: ft NGVD. <b>N/A</b>
Classification of Surface water: <b>SW-IIIIF</b>	Depth of Sample: <b>6" - 8"</b>	Staff Gauge Reading: S Side of pond <b>7.88</b> (ft NGVD)	Weather Conditions: <b>Sunny + warm</b>
Discharging <b>180199</b> No Discharge Structure exists	Sample Method <b>GRAB</b>	Stainless Steel Bucket # <b>B</b>	Stainless Steel Beaker # <b>Q</b>
			Cooler # <b>027</b>

### Surface Water - Field Data

<b>FIELD VALUES →</b>	Other	pH	TEMP. (°C)	COND. (µmhos)	DISSOLVED OXYGEN (mg/L) NOT REQUIRED	TURBIDITY (NTUs)
		<b>8.79</b>	<b>27.0</b>	<b>350</b>		<b>3.82</b>
Color: <b>Slight yellow</b>	Odor: <b>NO</b>	Sheen: <b>NO</b>	Surface Water Conditions (Aquatic Vegetation coverage, is DS full or dry) <b>NO VEGETATION ON THE SURFACE</b>			Meter Reading:
						<b>Metal Trip Blank 110722</b>

### SAMPLING DATA

FIELD DECONTAMINATION: <b>No</b>			FIELD-FILTERED: <b>No</b>			DUPLICATE: Y <input type="radio"/> N <input checked="" type="radio"/>	
SAMPLE CONTAINER SPECIFICATION			SAMPLE PRESERVATION			INTENDED ANALYSIS AND/OR METHOD	
NO.	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOLUME ADDED IN FIELD (mL)	FINAL pH		
1	HDPE		HNO3	<b>None</b>	<b>2.0</b>		
2	HDPE		H2SO4	<b>None</b>	<b>2.0</b>		
3	AG		H2SO4	<b>None</b>	<b>2.0</b>	Metals	
						Ammonia, COD, TKN	
						OIL & GREASE, TRPH	
MATERIAL CODES: AG = AMBER GLASS; CG = CLEAR GLASS; HDPE = HIGH DENSITY POLYETHYLENE; O = OTHER (SPECIFY)							
SAMPLED BY (PRINT) <b>Antonio Richards</b>					SAMPLER(S) SIGNATURE(S)		
<b>Manny Alvarez</b>					